

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU082218\
 Data File : VU026257.D
 Acq On : 22 Aug 2018 19:08
 Operator : MD/SY
 Sample : J4598-09 40X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETBM8

Quant Time: Aug 23 07:28:42 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 23 07:27:18 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	289302	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	284335	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	133785	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	82207	46.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.18%
7) Chloroethane-d5	1.68	69	69932	48.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.20%
11) 1,1-Dichloroethene-d2	2.27	63	132765	38.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.56%
21) 2-Butanone-d5	4.18	46	157122	111.57	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	111.57%
24) Chloroform-d	4.65	84	193827	49.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.56%
26) 1,2-Dichloroethane-d4	5.31	65	129405	50.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.12%
32) Benzene-d6	5.35	84	376165	49.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.90%
36) 1,2-Dichloropropane-d6	6.33	67	124847	51.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.24%
41) Toluene-d8	7.57	98	338125	46.51	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.02%
43) trans-1,3-Dichloropropene-	7.85	79	59964	47.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.04%
47) 2-Hexanone-d5	8.31	63	111079	106.41	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.41%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	176410	48.80	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	148997	52.49	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.98%


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
37) 1,2-Dichloropropane	6.33	63	13827	6.527	ug/L	# 89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU082218\
Data File : VU026257.D
Acq On : 22 Aug 2018 19:08
Operator : MD/SY
Sample : J4598-09 40X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETBM8

Quant Time: Aug 23 07:28:42 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 23 07:27:18 2018
Response via : Initial Calibration





#37
 1,2-Dichloropropane
 Concen: 6.527 ug/L
 RT: 6.33 min Scan# 1786
 Delta R.T. -0.10 min
 Lab File: VU026257.D
 Acq: 22 Aug 2018 19:08

Instrument :
 MSVOA_U
 ClientSampleId :
 ETBM8

Tgt Ion: 63 Resp: 13827
 Ion Ratio Lower Upper
 63 100
 112 0.6 3.4 5.2#

