

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU082218\
 Data File : VU026262.D
 Acq On : 22 Aug 2018 21:04
 Operator : MD/SY
 Sample : J4598-15 40X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETBL5

Quant Time: Aug 23 07:29:02 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 23 07:27:18 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	272184	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	267009	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	127367	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	76670	46.18	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.36%
7) Chloroethane-d5	1.68	69	65525	48.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.80%
11) 1,1-Dichloroethene-d2	2.27	63	119386	36.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.18%
21) 2-Butanone-d5	4.18	46	146976	110.93	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	110.93%
24) Chloroform-d	4.65	84	184893	49.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.94%
26) 1,2-Dichloroethane-d4	5.31	65	123290	51.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.40%
32) Benzene-d6	5.34	84	356977	49.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.94%
36) 1,2-Dichloropropane-d6	6.33	67	119113	51.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.86%
41) Toluene-d8	7.57	98	325379	47.66	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.32%
43) trans-1,3-Dichloropropene-	7.85	79	55421	46.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.54%
47) 2-Hexanone-d5	8.31	63	104023	106.12	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.12%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	167001	49.20	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.40%
64) 1,2-Dichlorobenzene-d4	11.86	152	140001	51.80	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.60%


Target Compounds					Qvalue
37) 1,2-Dichloropropane	6.33	63	12915	6.492 ug/L #	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU082218\
Data File : VU026262.D
Acq On : 22 Aug 2018 21:04
Operator : MD/SY
Sample : J4598-15 40X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETBL5

Quant Time: Aug 23 07:29:02 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 23 07:27:18 2018
Response via : Initial Calibration





#37
 1,2-Dichloropropane
 Concen: 6.492 ug/L
 RT: 6.33 min Scan# 1786
 Delta R.T. -0.10 min
 Lab File: VU026262.D
 Acq: 22 Aug 2018 21:04

Instrument :
 MSVOA_U
 ClientSampleId :
 ETBL5

Tgt Ion: 63 Resp: 12915
 Ion Ratio Lower Upper
 63 100
 112 0.4 3.4 5.2#

