

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU082218\
 Data File : VU026274.D
 Acq On : 23 Aug 2018 01:42
 Operator : MD/SY
 Sample : J4599-04 40X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETOK6

Quant Time: Aug 23 07:47:46 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 23 07:46:41 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	280359	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	279976	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	133265	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	72844	42.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.20%
7) Chloroethane-d5	1.68	69	63743	45.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.42%
11) 1,1-Dichloroethene-d2	2.27	63	114813	34.16	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.32%
21) 2-Butanone-d5	4.18	46	138746	101.66	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.66%
24) Chloroform-d	4.65	84	177537	46.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.16%
26) 1,2-Dichloroethane-d4	5.31	65	119243	48.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.14%
32) Benzene-d6	5.35	84	337201	45.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.04%
36) 1,2-Dichloropropane-d6	6.33	67	112746	46.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.76%
41) Toluene-d8	7.57	98	307499	42.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.90%
43) trans-1,3-Dichloropropene-	7.85	79	53743	43.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.50%
47) 2-Hexanone-d5	8.31	63	96833	94.21	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.21%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	165112	46.39	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.78%
64) 1,2-Dichlorobenzene-d4	11.86	152	136619	48.31	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.62%


Target Compounds					Qvalue
37) 1,2-Dichloropropane	6.33	63	12615	6.047 ug/L	# 87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU082218\
Data File : VU026274.D
Acq On : 23 Aug 2018 01:42
Operator : MD/SY
Sample : J4599-04 40X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETOK6

Quant Time: Aug 23 07:47:46 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 23 07:46:41 2018
Response via : Initial Calibration





#37
 1,2-Dichloropropane
 Concen: 6.047 ug/L
 RT: 6.33 min Scan# 1786
 Delta R.T. -0.10 min
 Lab File: VU026274.D
 Acq: 23 Aug 2018 01:42

Instrument :
 MSVOA_U
 ClientSampleId :
 ETOK6

Tgt Ion: 63 Resp: 12615
 Ion Ratio Lower Upper
 63 100
 112 0.0 3.4 5.2#

