

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU082218\
 Data File : VU026277.D
 Acq On : 23 Aug 2018 02:51
 Operator : MD/SY
 Sample : J4599-07 40X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETOL1

Quant Time: Aug 23 07:47:58 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 23 07:46:41 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	276586	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	273974	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	130165	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	68955	40.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.74%
7) Chloroethane-d5	1.68	69	61029	44.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.72%
11) 1,1-Dichloroethene-d2	2.27	63	108569	32.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.48%
21) 2-Butanone-d5	4.18	46	136766	101.58	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.58%
24) Chloroform-d	4.65	84	171763	45.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.36%
26) 1,2-Dichloroethane-d4	5.31	65	118086	48.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.52%
32) Benzene-d6	5.35	84	325771	44.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.90%
36) 1,2-Dichloropropane-d6	6.33	67	109411	46.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.98%
41) Toluene-d8	7.57	98	290201	41.42	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.84%
43) trans-1,3-Dichloropropene-	7.85	79	51085	42.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.02%
47) 2-Hexanone-d5	8.31	63	94518	93.97	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	93.97%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	157954	45.35	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.70%
64) 1,2-Dichlorobenzene-d4	11.86	152	130706	47.32	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.64%


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
37) 1,2-Dichloropropane	6.33	63	12459	6.103	ug/L	# 87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU082218\
Data File : VU026277.D
Acq On : 23 Aug 2018 02:51
Operator : MD/SY
Sample : J4599-07 40X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 40 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETOL1

Quant Time: Aug 23 07:47:58 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 23 07:46:41 2018
Response via : Initial Calibration





#37
 1,2-Dichloropropane
 Concen: 6.103 ug/L
 RT: 6.33 min Scan# 1786
 Delta R.T. -0.10 min
 Lab File: VU026277.D
 Acq: 23 Aug 2018 02:51

Instrument :
 MSVOA_U
 ClientSampleId :
 ETOL1

Tgt Ion: 63 Resp: 12459
 Ion Ratio Lower Upper
 63 100
 112 0.0 3.4 5.2#

