

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU082218\
 Data File : VU026284.D
 Acq On : 23 Aug 2018 05:33
 Operator : MD/SY
 Sample : J4599-16 40X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETOL6

Quant Time: Aug 23 07:48:28 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 23 07:46:41 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	269853	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	268376	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	127187	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	63553	38.61	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	77.22%
7) Chloroethane-d5	1.68	69	57708	43.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.00%
11) 1,1-Dichloroethene-d2	2.27	63	100203	30.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	61.94%
21) 2-Butanone-d5	4.18	46	129002	98.20	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.20%
24) Chloroform-d	4.65	84	164100	44.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.46%
26) 1,2-Dichloroethane-d4	5.31	65	111829	46.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.68%
32) Benzene-d6	5.35	84	311164	43.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.68%
36) 1,2-Dichloropropane-d6	6.33	67	105522	45.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	91.54%
41) Toluene-d8	7.57	98	270073	39.35	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	78.70%#
43) trans-1,3-Dichloropropene-	7.85	79	48181	40.45	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.90%
47) 2-Hexanone-d5	8.31	63	87385	88.69	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	88.69%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	151720	44.47	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.94%
64) 1,2-Dichlorobenzene-d4	11.86	152	122549	45.41	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.82%


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
37) 1,2-Dichloropropane	6.33	63	11996	5.999	ug/L	# 88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU082218\
Data File : VU026284.D
Acq On : 23 Aug 2018 05:33
Operator : MD/SY
Sample : J4599-16 40X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETOL6

Quant Time: Aug 23 07:48:28 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 23 07:46:41 2018
Response via : Initial Calibration





#37
 1,2-Dichloropropane
 Concen: 5.999 ug/L
 RT: 6.33 min Scan# 1786
 Delta R.T. -0.10 min
 Lab File: VU026284.D
 Acq: 23 Aug 2018 05:33

Instrument :
 MSVOA_U
 ClientSampleId :
 ETOL6

Tgt Ion: 63 Resp: 11996
 Ion Ratio Lower Upper
 63 100
 112 0.4 3.4 5.2#

