

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082218\
 Data File : VU026255.D
 Acq On : 22 Aug 2018 18:22
 Operator : MD/SY
 Sample : J4598-07 40X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETBM6

Quant Time: Aug 23 07:39:58 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 23 07:27:18 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	289971	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	281441	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	136965	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	80020	45.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.48%
7) Chloroethane-d5	1.68	69	68636	47.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.18%
11) 1,1-Dichloroethene-d2	2.27	63	123622	35.56	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.12%
21) 2-Butanone-d5	4.18	46	153431	108.70	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.70%
24) Chloroform-d	4.65	84	189304	48.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.04%
26) 1,2-Dichloroethane-d4	5.31	65	126957	49.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.98%
32) Benzene-d6	5.35	84	363639	48.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.60%
36) 1,2-Dichloropropane-d6	6.33	67	120571	49.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.74%
41) Toluene-d8	7.57	98	328639	45.67	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.34%
43) trans-1,3-Dichloropropene-	7.85	79	57913	46.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.74%
47) 2-Hexanone-d5	8.31	63	109407	105.89	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.89%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	172066	48.09	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.18%
64) 1,2-Dichlorobenzene-d4	11.86	152	143843	49.49	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.98%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU082218\
Data File : VU026255.D
Acq On : 22 Aug 2018 18:22
Operator : MD/SY
Sample : J4598-07 40X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETBM6

Quant Time: Aug 23 07:39:58 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 23 07:27:18 2018
Response via : Initial Calibration

