

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082218\
 Data File : VU026268.D
 Acq On : 22 Aug 2018 23:23
 Operator : MD/SY
 Sample : J4598-19 40X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETBM3

Quant Time: Aug 23 07:55:41 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 23 07:46:41 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	290967	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	283439	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	135566	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	74512	41.99	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.98%
7) Chloroethane-d5	1.68	69	66463	45.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.86%
11) 1,1-Dichloroethene-d2	2.27	63	121938	34.96	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.92%
21) 2-Butanone-d5	4.18	46	140134	98.94	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.94%
24) Chloroform-d	4.65	84	182496	46.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.26%
26) 1,2-Dichloroethane-d4	5.31	65	123198	47.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.72%
32) Benzene-d6	5.35	84	352219	46.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.90%
36) 1,2-Dichloropropane-d6	6.33	67	114149	46.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.78%
41) Toluene-d8	7.57	98	320180	44.18	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.36%
43) trans-1,3-Dichloropropene-	7.85	79	55305	43.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.94%
47) 2-Hexanone-d5	8.31	63	98844	94.99	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.99%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	164398	45.62	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.24%
64) 1,2-Dichlorobenzene-d4	11.86	152	140936	48.99	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.98%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU082218\
Data File : VU026268.D
Acq On : 22 Aug 2018 23:23
Operator : MD/SY
Sample : J4598-19 40X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETBM3

Quant Time: Aug 23 07:55:41 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 23 07:46:41 2018
Response via : Initial Calibration

