

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082218\
 Data File : VU026270.D
 Acq On : 23 Aug 2018 00:09
 Operator : MD/SY
 Sample : J4598-21 40X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETBN1

Quant Time: Aug 23 08:04:08 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 23 07:46:41 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	271704	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	269770	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	129266	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	73893	44.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.18%
7) Chloroethane-d5	1.68	69	63030	46.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.28%
11) 1,1-Dichloroethene-d2	2.27	63	116831	35.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.74%
21) 2-Butanone-d5	4.18	46	138772	104.92	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.92%
24) Chloroform-d	4.65	84	177008	47.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.84%
26) 1,2-Dichloroethane-d4	5.31	65	117698	48.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.92%
32) Benzene-d6	5.35	84	342151	47.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.82%
36) 1,2-Dichloropropane-d6	6.33	67	111650	48.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.36%
41) Toluene-d8	7.57	98	304181	44.10	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.20%
43) trans-1,3-Dichloropropene-	7.85	79	53630	44.79	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.58%
47) 2-Hexanone-d5	8.31	63	95519	96.45	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.45%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	160893	46.91	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.82%
64) 1,2-Dichlorobenzene-d4	11.86	152	139289	50.78	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.56%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082218\
Data File : VU026270.D
Acq On : 23 Aug 2018 00:09
Operator : MD/SY
Sample : J4598-21 40X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETBN1

Quant Time: Aug 23 08:04:08 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 23 07:46:41 2018
Response via : Initial Calibration

