

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082219\
 Data File : VU033925.D
 Acq On : 23 Aug 2019 01:24
 Operator : JC/SP
 Sample : K4485-06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F2B34

Quant Time: Aug 23 05:17:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 23 02:53:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	571974	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	578103	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	242362	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	217121	43.29	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.58%
7) Chloroethane-d5	1.67	69	183393	46.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.18%
11) 1,1-Dichloroethene-d2	2.25	63	318397	35.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.38%
21) 2-Butanone-d5	4.15	46	343917	101.89	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.89%
24) Chloroform-d	4.62	84	375922	46.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.08%
26) 1,2-Dichloroethane-d4	5.28	65	259460	49.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.34%
32) Benzene-d6	5.32	84	774962	47.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.38%
36) 1,2-Dichloropropane-d6	6.31	67	260290	48.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.70%
41) Toluene-d8	7.55	98	667275	44.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.92%
43) trans-1,3-Dichloropropene-	7.83	79	106937	43.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.96%
47) 2-Hexanone-d5	8.29	63	229101	103.39	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.39%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	356676	47.00	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.00%
64) 1,2-Dichlorobenzene-d4	11.84	152	247107	49.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.92%


Target Compounds					Ovalue
20) cis-1,2-Dichloroethene	4.20	96	5359	1.175 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU082219\
Data File : VU033925.D
Acq On : 23 Aug 2019 01:24
Operator : JC/SP
Sample : K4485-06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F2B34

Quant Time: Aug 23 05:17:57 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082219WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 23 02:53:44 2019
Response via : Initial Calibration





#20
 cis-1,2-Dichloroethene
 Concen: 1.175 ug/L
 RT: 4.20 min Scan# 967
 Delta R.T. 0.00 min
 Lab File: VU033925.D
 Acq: 23 Aug 2019 01:24

Instrument :
 MSVOA_U
 ClientSampleId :
 F2B34

Tot Ion	Ion	Ratio	Lower	Upper
96	100			
61	148.5	95.5	177.4	
68	0.0	0.0	0.0	

