

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082318\
 Data File : VU026304.D
 Acq On : 23 Aug 2018 17:30
 Operator : MD/SY
 Sample : J4601-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Aug 24 02:07:19 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 24 02:06:29 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	291692	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	289731	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	139685	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	91753	51.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	103.14%
7) Chloroethane-d5	1.68	69	75640	52.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	104.28%
11) 1,1-Dichloroethene-d2	2.27	63	139905	40.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.02%
21) 2-Butanone-d5	4.18	46	154251	108.63	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.63%
24) Chloroform-d	4.65	84	200827	50.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.28%
26) 1,2-Dichloroethane-d4	5.31	65	135163	52.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.74%
32) Benzene-d6	5.34	84	397901	51.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.66%
36) 1,2-Dichloropropane-d6	6.33	67	129174	51.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.80%
41) Toluene-d8	7.57	98	359454	48.52	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.04%
43) trans-1,3-Dichloropropene-	7.85	79	62638	48.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.42%
47) 2-Hexanone-d5	8.31	63	109592	103.03	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.03%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	180623	49.04	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.08%
64) 1,2-Dichlorobenzene-d4	11.86	152	153497	51.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.58%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU082318\
Data File : VU026304.D
Acq On : 23 Aug 2018 17:30
Operator : MD/SY
Sample : J4601-07
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Aug 24 02:07:19 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 24 02:06:29 2018
Response via : Initial Calibration

