

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082318\
 Data File : VU026299.D
 Acq On : 23 Aug 2018 15:27
 Operator : MD/SY
 Sample : J4598-13
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETBL3

Quant Time: Aug 24 01:57:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 24 01:14:40 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	288002	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	281518	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	134629	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	91438	52.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	104.10%
7) Chloroethane-d5	1.68	69	73813	51.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	103.06%
11) 1,1-Dichloroethene-d2	2.27	63	139053	40.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.54%
21) 2-Butanone-d5	4.18	46	148530	105.94	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.94%
24) Chloroform-d	4.65	84	202029	51.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.20%
26) 1,2-Dichloroethane-d4	5.31	65	133711	52.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.96%
32) Benzene-d6	5.35	84	391524	51.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.98%
36) 1,2-Dichloropropane-d6	6.33	67	125245	51.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.58%
41) Toluene-d8	7.57	98	353732	49.14	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.28%
43) trans-1,3-Dichloropropene-	7.85	79	60544	48.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.92%
47) 2-Hexanone-d5	8.31	63	102448	99.13	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.13%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	176664	49.36	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.72%
64) 1,2-Dichlorobenzene-d4	11.86	152	151540	53.05	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.10%


Target Compounds					Ovalue
13) Acetone	2.32	43	5207	4.80 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU082318\
Data File : VU026299.D
Acq On : 23 Aug 2018 15:27
Operator : MD/SY
Sample : J4598-13
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETBL3

Quant Time: Aug 24 01:57:20 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 24 01:14:40 2018
Response via : Initial Calibration





#13

Acetone

Concen: 4.80 ug/L

RT: 2.32 min Scan# 538

Delta R.T. -0.00 min

Lab File: VU026299.D

Acq: 23 Aug 2018 15:27

Instrument :
MSVOA_U
ClientSampleId :
ETBL3

Tot Ion: 43 Resp: 5207

Ion Ratio Lower Upper

43 100

58 29.3 0.0 61.2

