

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU082321\
 Data File : VU044491.D
 Acq On : 23 Aug 2021 10:22
 Operator : SY/MD
 Sample : VU0823WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK010

Manual Integrations
 APPROVED

SAM
 8/24/2021 11:20:50 AM

Quant Time: Aug 24 03:57:27 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR081821WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Aug 24 03:56:17 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	111492	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	113583	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	50076	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	37648	4.175	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	83.600%
7) Chloroethane-d5	1.919	69	36770	4.692	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.800%
11) 1,1-Dichloroethene-d2	2.572	65	17806	4.642	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	92.800%
20) 2-Butanone-d5	4.642	46	131852m	52.872	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	105.740%
24) Chloroform-d	5.073	84	76872	4.821	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.400%
26) 1,2-Dichloroethane-d4	5.710	65	43993	5.060	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.200%
32) Benzene-d6	5.735	84	153898	4.812	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.200%
36) 1,2-Dichloropropane-d6	6.697	67	51718	5.054	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.000%
41) Toluene-d8	7.906	98	130730	4.609	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.200%
43) trans-1,3-Dichloroprop...	8.185	79	17304	4.709	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.200%
46) 2-Hexanone-d5	8.645	63	105478	53.080	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	106.160%
56) 1,1,2,2-Tetrachloroeth...	10.761	84	42150	4.891	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.800%
66) 1,2-Dichlorobenzene-d4	12.198	152	43781	5.175	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.400%
Target Compounds						Qvalue
16) Methylene chloride	3.057	84	8092	0.636	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU082321\
Data File : VU044491.D
Acq On : 23 Aug 2021 10:22
Operator : SY/MD
Sample : VU0823WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
VBLK010

Manual Integrations
APPROVED

SAM
8/24/2021 11:20:50 AM


Quant Time: Aug 24 03:57:27 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR081821WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Aug 24 03:56:17 2021
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.636 ug/L
RT: 3.057 min Scan# 534
Delta R.T. 0.003 min
Lab File: VU044491.D
Acq: 23 Aug 2021 10:22

Instrument :
MSVOA_U
ClientSampled :
VBLK010



Tgt Ion:	84	Resp:	8092
Ion	Ratio	Lower	Upper
84	100		
86	60.9	45.2	84.0
49	126.5	88.8	165.0

Manual Integrations
APPROVED
SAM
8/24/2021 11:20:50 AM

