

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU082418\
 Data File : VU026347.D
 Acq On : 24 Aug 2018 20:36
 Operator : MD/SY
 Sample : J4644-13 40X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETOM3

Quant Time: Aug 25 04:50:02 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 25 04:25:01 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	285159	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	282032	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	133359	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	69201	39.79	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.58%
7) Chloroethane-d5	1.68	69	61616	43.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.88%
11) 1,1-Dichloroethene-d2	2.27	63	111870	32.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.44%
21) 2-Butanone-d5	4.18	46	140673	101.34	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.34%
24) Chloroform-d	4.65	84	180234	46.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.98%
26) 1,2-Dichloroethane-d4	5.31	65	122327	48.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.98%
32) Benzene-d6	5.35	84	337992	44.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.60%
36) 1,2-Dichloropropane-d6	6.33	67	115088	47.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.02%
41) Toluene-d8	7.57	98	301359	41.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.58%
43) trans-1,3-Dichloropropene-	7.85	79	53838	43.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.02%
47) 2-Hexanone-d5	8.31	63	98057	94.70	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.70%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	165174	46.07	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.14%
64) 1,2-Dichlorobenzene-d4	11.86	152	132813	46.93	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.86%

Target Compounds					Qvalue
20) cis-1,2-Dichloroethene	4.23	96	7003	3.429 ug/L	86
34) Trichloroethene	6.19	95	3518	1.730 ug/L	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU082418\
Data File : VU026347.D
Acq On : 24 Aug 2018 20:36
Operator : MD/SY
Sample : J4644-13 40X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETOM3

Quant Time: Aug 25 04:50:02 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 25 04:25:01 2018
Response via : Initial Calibration

