

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU082418\
 Data File : VU026349.D
 Acq On : 24 Aug 2018 21:22
 Operator : MD/SY
 Sample : J4644-17 40X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETOM7

Quant Time: Aug 25 04:58:47 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 25 04:25:01 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	295292	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	293718	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	140943	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	69830	38.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	77.54%
7) Chloroethane-d5	1.68	69	62527	42.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.14%
11) 1,1-Dichloroethene-d2	2.27	63	112184	31.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.38%
21) 2-Butanone-d5	4.18	46	140054	97.43	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.43%
24) Chloroform-d	4.65	84	180972	45.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.16%
26) 1,2-Dichloroethane-d4	5.31	65	120621	46.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.34%
32) Benzene-d6	5.35	84	341897	43.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.02%
36) 1,2-Dichloropropane-d6	6.33	67	116146	46.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.08%
41) Toluene-d8	7.57	98	309985	41.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.54%
43) trans-1,3-Dichloropropene-	7.85	79	53956	41.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.78%
47) 2-Hexanone-d5	8.31	63	97502	90.42	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.42%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	164200	43.97	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	87.94%
64) 1,2-Dichlorobenzene-d4	11.86	152	138256	46.23	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.46%

Target Compounds

					Qvalue
5) Vinyl chloride	1.40	62	15255	7.083 ug/L	90
20) cis-1,2-Dichloroethene	4.23	96	7772	3.675 ug/L	100
34) Trichloroethene	6.19	95	3627	1.713 ug/L #	79

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU082418\
Data File : VU026349.D
Acq On : 24 Aug 2018 21:22
Operator : MD/SY
Sample : J4644-17 40X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETOM7

Quant Time: Aug 25 04:58:47 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 25 04:25:01 2018
Response via : Initial Calibration

