

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU082418\
 Data File : VU026347.D
 Acq On : 24 Aug 2018 20:36
 Operator : MD/SY
 Sample : J4644-13 40X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETOM3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	0.625	9	11	13	rBV2	401	267	0.03%	0.003%
2	0.870	80	87	92	rVB2	403	527	0.05%	0.006%
3	0.895	92	95	98	rBV	256	152	0.01%	0.002%
4	0.918	101	102	103	rVV	163	54	0.01%	0.001%
5	0.953	107	113	116	rBV	350	361	0.04%	0.004%
6	1.014	128	132	133	rBV	270	179	0.02%	0.002%
7	1.088	147	155	173	rBV	795901	869589	85.66%	9.450%
8	1.397	244	251	261	rBV	112267	117039	11.53%	1.272%
9	1.680	332	339	356	rVB	90915	116236	11.45%	1.263%
10	2.272	513	523	536	rVB	200462	302673	29.82%	3.289%
11	2.696	650	655	663	rBV5	1308	2191	0.22%	0.024%
12	2.825	691	695	696	rBV2	900	662	0.07%	0.007%
13	2.972	738	741	742	rBV2	536	263	0.03%	0.003%
14	3.082	770	775	780	rVB3	410	365	0.04%	0.004%
15	3.304	838	844	850	rBV2	496	645	0.06%	0.007%
16	3.542	914	918	921	rBV3	372	357	0.04%	0.004%
17	3.760	982	986	988	rBV2	245	222	0.02%	0.002%
18	3.841	1007	1011	1014	rBV2	235	220	0.02%	0.002%
19	3.960	1045	1048	1049	rBV	333	188	0.02%	0.002%
20	4.114	1094	1096	1099	rBV2	192	102	0.01%	0.001%
21	4.181	1102	1117	1147	rBV	95259	285997	28.17%	3.108%
22	4.452	1198	1201	1203	rBV2	336	228	0.02%	0.002%
23	4.509	1216	1219	1221	rBV2	273	204	0.02%	0.002%
24	4.570	1233	1238	1242	rBV	281	302	0.03%	0.003%
25	4.651	1245	1263	1285	rBV	181059	429662	42.32%	4.669%
26	4.818	1311	1315	1320	rBV	377	409	0.04%	0.004%
27	4.876	1328	1333	1334	rBV	822	618	0.06%	0.007%
28	4.972	1361	1363	1365	rBV	177	80	0.01%	0.001%
29	5.017	1375	1377	1378	rBV	287	114	0.01%	0.001%
30	5.111	1402	1406	1412	rBV2	415	509	0.05%	0.006%
31	5.152	1416	1419	1422	rVB	197	134	0.01%	0.001%
32	5.181	1423	1428	1433	rBV	319	364	0.04%	0.004%
33	5.342	1454	1478	1499	rBV2	341243	1015166	100.00%	11.032%
34	5.580	1548	1552	1554	rVB3	169	107	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU082418\
 Data File : VU026347.D
 Acq On : 24 Aug 2018 20:36
 Operator : MD/SY
 Sample : J4644-13 40X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETOM3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Title : VOC Analysis

35	5.596	1554	1557	1560	rBV2	157	81	0.01%	0.001%
36	5.622	1562	1565	1567	rBV2	224	151	0.01%	0.002%
37	5.657	1574	1576	1577	rBV	194	62	0.01%	0.001%
38	5.757	1601	1607	1613	rBV2	655	590	0.06%	0.006%
39	5.805	1618	1622	1625	rBV2	357	304	0.03%	0.003%
40	5.889	1633	1648	1672	rBV	344733	670403	66.04%	7.286%
41	6.037	1692	1694	1697	rVB	522	254	0.03%	0.003%
42	6.111	1715	1717	1719	rVB2	226	90	0.01%	0.001%
43	6.123	1719	1721	1724	rBV3	382	255	0.03%	0.003%
44	6.191	1731	1742	1755	rBV3	10643	21135	2.08%	0.230%
45	6.252	1755	1761	1762	rBV2	270	205	0.02%	0.002%
46	6.332	1772	1786	1808	rBV	238325	475619	46.85%	5.169%
47	6.500	1837	1838	1840	rBV	474	238	0.02%	0.003%
48	6.558	1853	1856	1859	rBV	306	184	0.02%	0.002%
49	6.631	1877	1879	1881	rBV2	149	62	0.01%	0.001%
50	6.728	1907	1909	1911	rBV	274	145	0.01%	0.002%
51	6.741	1911	1913	1915	rBV	221	115	0.01%	0.001%
52	6.783	1924	1926	1927	rBV2	231	118	0.01%	0.001%
53	6.824	1935	1939	1940	rBV2	216	101	0.01%	0.001%
54	6.869	1940	1953	1964	rBV4	1594	3279	0.32%	0.036%
55	6.927	1966	1971	1974	rBV3	331	325	0.03%	0.004%
56	6.959	1979	1981	1984	rBV2	309	200	0.02%	0.002%
57	6.979	1984	1987	1991	rBV3	318	299	0.03%	0.003%
58	7.181	2048	2050	2053	rBV2	223	181	0.02%	0.002%
59	7.230	2053	2065	2084	rVV	128865	229597	22.62%	2.495%
60	7.410	2120	2121	2122	rBV	250	86	0.01%	0.001%
61	7.467	2137	2139	2140	rBV	421	167	0.02%	0.002%
62	7.567	2156	2170	2192	rBV	454326	784518	77.28%	8.526%
63	7.853	2248	2259	2271	rBV	97720	160459	15.81%	1.744%
64	8.188	2349	2363	2384	rBV2	64285	201728	19.87%	2.192%
65	8.313	2394	2402	2427	rVB	301115	505503	49.80%	5.494%
66	8.548	2474	2475	2479	rBV2	257	193	0.02%	0.002%
67	8.622	2490	2498	2508	rBV2	3420	5281	0.52%	0.057%
68	8.914	2587	2589	2592	rBV	273	133	0.01%	0.001%
69	8.969	2603	2606	2608	rBV	277	195	0.02%	0.002%
70	9.004	2614	2617	2621	rBV	393	261	0.03%	0.003%
71	9.091	2631	2644	2663	rBV	508243	824866	81.25%	8.964%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU082418\
Data File : VU026347.D
Acq On : 24 Aug 2018 20:36
Operator : MD/SY
Sample : J4644-13 40X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETOM3

Integration Parameters: LSCINT.P

Integrator: RTE
Smoothing : OFF
Sampling : 1
Start Thrs: 0.2
Stop Thrs : 0

Filtering: 5
Min Area: 0 % of largest Peak
Max Peaks: 100
Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Title : VOC Analysis

72	9.213	2679	2682	2685	rBV3	585	460	0.05%	0.005%
73	9.786	2857	2860	2861	rBV2	489	256	0.03%	0.003%
74	9.953	2908	2912	2916	rBV3	687	793	0.08%	0.009%
75	10.017	2929	2932	2937	rBV2	511	524	0.05%	0.006%
76	10.078	2948	2951	2954	rBV	318	238	0.02%	0.003%
77	10.175	2974	2981	2985	rBV3	622	594	0.06%	0.006%
78	10.226	2994	2997	2999	rBV	387	248	0.02%	0.003%
79	10.339	3029	3032	3034	rBV2	267	169	0.02%	0.002%
80	10.432	3049	3061	3079	rBV	348077	553840	54.56%	6.019%
81	10.615	3108	3118	3136	rVB4	15731	29123	2.87%	0.316%
82	10.924	3211	3214	3216	rBV3	360	199	0.02%	0.002%
83	11.143	3280	3282	3286	rBV3	499	494	0.05%	0.005%
84	11.487	3377	3389	3404	rBV	505156	793354	78.15%	8.622%
85	11.863	3493	3506	3526	rBV	497446	787312	77.56%	8.556%
86	12.120	3583	3586	3589	rBV2	520	432	0.04%	0.005%


Sum of corrected areas: 9201605

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU082418\
Data File : VU026347.D
Acq On : 24 Aug 2018 20:36
Operator : MD/SY
Sample : J4644-13 40X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETOM3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU082418\
Data File : VU026347.D
Acq On : 24 Aug 2018 20:36
Operator : MD/SY
Sample : J4644-13 40X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETOM3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU082418\
Data File : VU026347.D
Acq On : 24 Aug 2018 20:36
Operator : MD/SY
Sample : J4644-13 40X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETOM3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
