

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082518\
 Data File : VU026380.D
 Acq On : 25 Aug 2018 18:44
 Operator : MD/SY
 Sample : J4644-19DL 800X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETOM9DL

Quant Time: Aug 27 01:33:24 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 25 04:25:01 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	315211	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	315348	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	146420	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	93597	48.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.36%
7) Chloroethane-d5	1.68	69	77253	49.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.56%
11) 1,1-Dichloroethene-d2	2.27	63	137772	36.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.92%
21) 2-Butanone-d5	4.18	46	142005	92.55	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	92.55%
24) Chloroform-d	4.65	84	192938	45.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.04%
26) 1,2-Dichloroethane-d4	5.31	65	132903	47.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.32%
32) Benzene-d6	5.34	84	386996	45.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.74%
36) 1,2-Dichloropropane-d6	6.33	67	125288	46.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.50%
41) Toluene-d8	7.57	98	347999	43.16	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.32%
43) trans-1,3-Dichloropropene-	7.85	79	58384	41.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.44%
47) 2-Hexanone-d5	8.31	63	104496	90.26	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.26%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	173958	43.39	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	86.78%
64) 1,2-Dichlorobenzene-d4	11.86	152	151050	48.62	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.24%


Target Compounds					Ovalue
5) Vinyl chloride	1.40	62	32844	14.29 ug/L	96
20) cis-1,2-Dichloroethene	4.23	96	160207	70.98 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU082518\
Data File : VU026380.D
Acq On : 25 Aug 2018 18:44
Operator : MD/SY
Sample : J4644-19DL 800X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETOM9DL

Quant Time: Aug 27 01:33:24 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082218WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 25 04:25:01 2018
Response via : Initial Calibration





#5

Vinyl chloride

Concen: 14.29 ug/L

RT: 1.40 min Scan# 252

Delta R.T. 0.00 min

Lab File: VU026380.D

Acq: 25 Aug 2018 18:44

Instrument :

MSVOA_U

ClientSampleID :


ETOM9DL

Tot Ion: 62 Resp: 32844

Ion Ratio Lower Upper




62 100

64 37.1 24.2 45.0



Abundance Ion 62.00 (61.70 to 62.70): VU0

Ion 64.00 (63.70 to 64.70): VU0



#20

cis-1,2-Dichloroethene

Concen: 70.98 ug/L

RT: 4.23 min Scan# 1131

Delta R.T. -0.00 min

Lab File: VU026380.D

Acq: 25 Aug 2018 18:44


Tgt Ion: 96 Resp: 160207

Ion Ratio Lower Upper

96 100

61 127.2 90.3 167.7

68 0.0 0.0 0.0



Abundance Ion 96.00 (95.70 to 96.70): VU0

Ion 61.00 (60.70 to 61.70): VU0

Ion 68.00 (67.70 to 68.70): VU0

