

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082520\
 Data File : VU039965.D
 Acq On : 25 Aug 2020 14:07
 Operator : SY/MD
 Sample : L3776-02DL 5000X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F4Y01DL

Quant Time: Aug 26 04:12:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR081920WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Aug 26 03:42:21 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	72738	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	68141	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	32130	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	26795	4.22	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.40%
7) Chloroethane-d5	1.92	69	22290	4.24	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	84.80%
11) 1,1-Dichloroethene-d2	2.58	63	38975	3.17	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	63.40%
20) 2-Butanone-d5	4.65	46	86451	42.58	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	85.16%
24) Chloroform-d	5.09	84	54258	4.73	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.60%
26) 1,2-Dichloroethane-d4	5.72	65	32476	4.78	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.60%
32) Benzene-d6	5.74	84	103574	5.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.20%
36) 1,2-Dichloropropane-d6	6.70	67	33558	5.01	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.20%
41) Toluene-d8	7.91	98	86457	4.87	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.40%
43) trans-1,3-Dichloropropene-	8.19	79	12765	4.54	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	90.80%
46) 2-Hexanone-d5	8.64	63	60703	42.60	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.20%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	25910	4.36	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	34248	5.40	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	108.00%


Target Compounds					Ovalue
33) Benzene	5.79	78	321499	12.983 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082520\
Data File : VU039965.D
Acq On : 25 Aug 2020 14:07
Operator : SY/MD
Sample : L3776-02DL 5000X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F4Y01DL

Quant Time: Aug 26 04:12:08 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR081920WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Aug 26 03:42:21 2020
Response via : Initial Calibration





#33
Benzene
Concen: 12.983 ug/L
RT: 5.79 min Scan# 1384
Delta R.T. 0.00 min
Lab File: VU039965.D
Acq: 25 Aug 2020 14:07

Instrument :
MSVOA_U
ClientSampleId :
F4Y01DL

Tgt Ion: 78 Resp: 321499

