

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082818\
 Data File : VU026416.D
 Acq On : 28 Aug 2018 22:57
 Operator : MD/SY
 Sample : J4633-04
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB3J8

Quant Time: Aug 29 02:28:42 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR082818WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Aug 29 00:08:04 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	57646	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	59640	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	26160	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	20220	2.63	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	52.60%
7) Chloroethane-d5	1.68	69	19189	3.32	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	66.40%
11) 1,1-Dichloroethene-d2	2.27	63	32172	2.48	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	49.60%#
20) 2-Butanone-d5	4.20	46	60049	42.29	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	84.58%
24) Chloroform-d	4.65	84	35316	4.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.20%
26) 1,2-Dichloroethane-d4	5.31	65	22016	3.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.60%
32) Benzene-d6	5.34	84	70159	3.44	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	68.80%#
36) 1,2-Dichloropropane-d6	6.34	67	24496	3.62	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	72.40%
41) Toluene-d8	7.57	98	59217	3.10	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	62.00%#
43) trans-1,3-Dichloropropene-	7.85	79	7468	3.03	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	60.60%
46) 2-Hexanone-d5	8.32	63	44132	40.34	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	80.68%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	20462	3.90	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	78.00%
64) 1,2-Dichlorobenzene-d4	11.86	152	24850	4.07	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	81.40%


Target Compounds					Ovalue
13) Acetone	2.32	43	7066	6.74 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082818\
Data File : VU026416.D
Acq On : 28 Aug 2018 22:57
Operator : MD/SY
Sample : J4633-04
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB3J8

Quant Time: Aug 29 02:28:42 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR082818WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Aug 29 00:08:04 2018
Response via : Initial Calibration





#13

Acetone

Concen: 6.74 ug/L

RT: 2.32 min Scan# 539

Delta R.T. -0.00 min

Lab File: VU026416.D

Acq: 28 Aug 2018 22:57

Instrument :
MSVOA_U
ClientSampleId :
DB3J8

Tot Ion: 43 Resp: 7066

Ion Ratio Lower Upper

43 100

58 26.6 0.0 60.6

