

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU083018\
 Data File : VU026446.D
 Acq On : 30 Aug 2018 15:01
 Operator : MD/SY
 Sample : J4691-12 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEE09

Quant Time: Aug 31 05:00:39 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 31 04:22:30 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	151560	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	143001	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	61026	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	44830	47.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.48%
7) Chloroethane-d5	1.68	69	40115	47.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.60%
11) 1,1-Dichloroethene-d2	2.27	63	61456	29.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	58.12%#
21) 2-Butanone-d5	4.18	46	68068	93.39	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.39%
24) Chloroform-d	4.65	84	78720	44.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.76%
26) 1,2-Dichloroethane-d4	5.31	65	54180	45.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.78%
32) Benzene-d6	5.34	84	157612	47.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.64%
36) 1,2-Dichloropropane-d6	6.33	67	54393	48.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.08%
41) Toluene-d8	7.57	98	144290	45.35	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.70%
43) trans-1,3-Dichloropropene-	7.85	79	23412	45.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.56%
47) 2-Hexanone-d5	8.31	63	51299	98.79	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.79%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	75309	45.15	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.30%
64) 1,2-Dichlorobenzene-d4	11.86	152	56601	51.12	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.24%

Target Compounds					Ovalue
34) Trichloroethene	6.19	95	1511	1.47 ug/L	93
46) Tetrachloroethene	8.23	164	69016	82.09 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU083018\
Data File : VU026446.D
Acq On : 30 Aug 2018 15:01
Operator : MD/SY
Sample : J4691-12 50X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEE09

Quant Time: Aug 31 05:00:39 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 31 04:22:30 2018
Response via : Initial Calibration

