

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU083018\
 Data File : VU026459.D
 Acq On : 30 Aug 2018 20:03
 Operator : MD/SY
 Sample : J4694-05 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEE23

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	0.725	39	42	43	rBB	214	102	0.02%	0.003%
2	0.744	44	48	51	rBV	160	174	0.04%	0.004%
3	0.802	63	66	69	rBV	160	148	0.03%	0.004%
4	0.931	103	106	108	rBV	123	111	0.02%	0.003%
5	1.024	132	135	136	rBV	223	108	0.02%	0.003%
6	1.085	140	154	175	rBV	186754	216347	45.51%	5.358%
7	1.397	244	251	264	rBV	68467	70044	14.73%	1.735%
8	1.677	330	338	354	rVB	56151	71939	15.13%	1.782%
9	2.269	511	522	535	rVV	116808	173671	36.53%	4.301%
10	2.326	535	540	549	rVB6	1402	2125	0.45%	0.053%
11	2.703	651	657	665	rBV3	921	1195	0.25%	0.030%
12	2.841	690	700	710	rVB3	826	1650	0.35%	0.041%
13	3.198	805	811	816	rBV	196	342	0.07%	0.008%
14	3.362	857	862	863	rBV	150	151	0.03%	0.004%
15	3.535	913	916	918	rBV	133	115	0.02%	0.003%
16	4.037	1065	1072	1075	rBV	175	262	0.06%	0.006%
17	4.178	1102	1116	1148	rBV2	44741	122541	25.78%	3.035%
18	4.378	1177	1178	1182	rVB	180	114	0.02%	0.003%
19	4.587	1241	1243	1246	rBV	149	134	0.03%	0.003%
20	4.651	1246	1263	1287	rBV	82707	191889	40.36%	4.752%
21	4.850	1322	1325	1328	rBV	186	160	0.03%	0.004%
22	4.879	1331	1334	1340	rVB2	326	360	0.08%	0.009%
23	5.165	1419	1423	1425	rBV	141	145	0.03%	0.004%
24	5.342	1453	1478	1497	rBV2	162115	475423	100.00%	11.774%
25	5.522	1530	1534	1538	rBV	155	205	0.04%	0.005%
26	5.677	1576	1582	1585	rBB	132	157	0.03%	0.004%
27	5.702	1588	1590	1593	rBV	163	130	0.03%	0.003%
28	5.889	1633	1648	1670	rBV	167942	323198	67.98%	8.004%
29	6.069	1702	1704	1708	rVB2	261	192	0.04%	0.005%
30	6.098	1709	1713	1716	rBB	128	109	0.02%	0.003%
31	6.117	1716	1719	1721	rBV	255	150	0.03%	0.004%
32	6.172	1733	1736	1738	rBV	171	142	0.03%	0.004%
33	6.194	1738	1743	1749	rVB4	633	829	0.17%	0.021%
34	6.284	1766	1771	1772	rBV2	456	349	0.07%	0.009%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU083018\
 Data File : VU026459.D
 Acq On : 30 Aug 2018 20:03
 Operator : MD/SY
 Sample : J4694-05 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEE23

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Title : VOC Analysis

35	6.333	1772	1786	1809	rVB	114138	222206	46.74%	5.503%
36	6.416	1809	1812	1815	rBV2	216	170	0.04%	0.004%
37	6.493	1831	1836	1839	rBV	346	327	0.07%	0.008%
38	6.571	1855	1860	1863	rBV	198	247	0.05%	0.006%
39	6.596	1866	1868	1870	rVV	177	113	0.02%	0.003%
40	6.628	1874	1878	1880	rBV	271	223	0.05%	0.006%
41	6.854	1942	1948	1951	rBV	93	105	0.02%	0.003%
42	7.034	2000	2004	2008	rBV	182	240	0.05%	0.006%
43	7.085	2017	2020	2023	rBB	177	140	0.03%	0.003%
44	7.104	2024	2026	2028	rBV	150	106	0.02%	0.003%
45	7.178	2046	2049	2053	rBV	133	171	0.04%	0.004%
46	7.230	2053	2065	2090	rVB	59810	104488	21.98%	2.588%
47	7.368	2104	2108	2113	rVB2	174	127	0.03%	0.003%
48	7.567	2157	2170	2188	rBV	218748	371181	78.07%	9.192%
49	7.664	2198	2200	2202	rBV	235	131	0.03%	0.003%
50	7.673	2202	2203	2207	rVB	287	109	0.02%	0.003%
51	7.850	2247	2258	2275	rVV	42153	69569	14.63%	1.723%
52	7.937	2282	2285	2287	rVB2	186	105	0.02%	0.003%
53	7.960	2287	2292	2294	rBV2	258	202	0.04%	0.005%
54	8.185	2348	2362	2368	rBV2	20855	39750	8.36%	0.984%
55	8.313	2392	2402	2427	rVB	147367	251360	52.87%	6.225%
56	8.464	2446	2449	2452	rBV2	156	124	0.03%	0.003%
57	8.599	2490	2491	2498	rVB	196	123	0.03%	0.003%
58	8.706	2520	2524	2528	rBV2	267	184	0.04%	0.005%
59	9.091	2631	2644	2665	rBV	241280	387118	81.43%	9.587%
60	9.378	2731	2733	2739	rVB	210	107	0.02%	0.003%
61	9.950	2904	2911	2914	rBV	101	130	0.03%	0.003%
62	10.432	3050	3061	3078	rBV	158240	247533	52.07%	6.130%
63	10.612	3108	3117	3132	rVB2	5865	11007	2.32%	0.273%
64	10.805	3175	3177	3181	rVB2	177	139	0.03%	0.003%
65	10.873	3195	3198	3203	rBV2	201	215	0.05%	0.005%
66	10.931	3213	3216	3220	rBV	198	119	0.03%	0.003%
67	10.953	3220	3223	3226	rVB2	191	111	0.02%	0.003%
68	11.422	3366	3369	3373	rVB	226	144	0.03%	0.004%
69	11.487	3376	3389	3407	rVV	210905	329239	69.25%	8.154%
70	11.561	3410	3412	3415	rVB2	267	136	0.03%	0.003%
71	11.599	3422	3424	3427	rBV	234	131	0.03%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU083018\
 Data File : VU026459.D
 Acq On : 30 Aug 2018 20:03
 Operator : MD/SY
 Sample : J4694-05 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEE23

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Title : VOC Analysis

72	11.863	3494	3506	3524	rBV	211042	333514	70.15%	8.260%
73	11.976	3539	3541	3543	rBV	162	117	0.02%	0.003%
74	12.021	3551	3555	3557	rBV	146	113	0.02%	0.003%
75	12.091	3572	3577	3578	rBV	220	170	0.04%	0.004%
76	12.377	3663	3666	3669	rBV2	220	174	0.04%	0.004%
77	12.435	3679	3684	3687	rBV2	185	263	0.06%	0.007%
78	12.484	3691	3699	3706	rVV3	1473	2306	0.49%	0.057%
79	12.532	3711	3714	3719	rBV2	157	161	0.03%	0.004%
80	12.644	3746	3749	3756	rVB3	303	263	0.06%	0.007%
81	12.676	3756	3759	3763	rBV	137	129	0.03%	0.003%
82	12.918	3830	3834	3835	rBV	150	102	0.02%	0.003%
83	12.969	3847	3850	3854	rVB	340	178	0.04%	0.004%
84	13.065	3878	3880	3885	rVB2	201	153	0.03%	0.004%
85	13.181	3912	3916	3919	rVB2	344	217	0.05%	0.005%
86	13.377	3975	3977	3981	rVB2	192	116	0.02%	0.003%
87	13.477	4005	4008	4011	rBV2	206	144	0.03%	0.004%
88	13.657	4062	4064	4070	rVB2	188	203	0.04%	0.005%
89	13.702	4075	4078	4081	rVB2	337	226	0.05%	0.006%
90	13.718	4081	4083	4087	rBV	358	266	0.06%	0.007%
91	13.789	4102	4105	4106	rBV	184	107	0.02%	0.003%
92	13.850	4121	4124	4128	rVB	209	170	0.04%	0.004%
93	13.873	4128	4131	4134	rBV	212	166	0.03%	0.004%
94	13.934	4147	4150	4153	rBV	249	185	0.04%	0.005%
95	14.278	4250	4257	4267	rVB2	1355	2277	0.48%	0.056%
96	14.725	4393	4396	4399	rVB2	380	220	0.05%	0.005%
97	14.773	4408	4411	4416	rBV3	259	220	0.05%	0.005%
98	15.882	4749	4756	4764	rBV4	1858	2626	0.55%	0.065%
99	16.245	4867	4869	4873	rVB	632	369	0.08%	0.009%
100	16.268	4873	4876	4879	rBV2	541	397	0.08%	0.010%


Sum of corrected areas: 4037893

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU083018\
Data File : VU026459.D
Acq On : 30 Aug 2018 20:03
Operator : MD/SY
Sample : J4694-05 50X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampled :
BEE23

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU083018\
Data File : VU026459.D
Acq On : 30 Aug 2018 20:03
Operator : MD/SY
Sample : J4694-05 50X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEE23

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU083018\
Data File : VU026459.D
Acq On : 30 Aug 2018 20:03
Operator : MD/SY
Sample : J4694-05 50X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEE23

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc