

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU083018\
 Data File : VU026467.D
 Acq On : 30 Aug 2018 23:32
 Operator : MD/SY
 Sample : J4691-07DL 10X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEE04DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	0.937	105	108	111	rBB	152	122	0.02%	0.003%
2	0.979	118	121	123	rBB	157	105	0.02%	0.002%
3	1.005	127	129	133	rVB2	221	184	0.03%	0.004%
4	1.085	139	154	175	rBV	192347	220640	41.92%	4.773%
5	1.397	244	251	263	rBV	65576	67825	12.89%	1.467%
6	1.471	269	274	280	rBV	3016	3473	0.66%	0.075%
7	1.677	331	338	353	rVB	52609	67512	12.83%	1.460%
8	2.191	492	498	506	rVB4	1552	2207	0.42%	0.048%
9	2.272	512	523	535	rVV	96864	147697	28.06%	3.195%
10	2.326	536	540	547	rVB5	1745	2170	0.41%	0.047%
11	2.477	582	587	592	rVB3	378	375	0.07%	0.008%
12	2.609	625	628	630	rBV2	287	165	0.03%	0.004%
13	2.625	630	633	636	rVB2	260	162	0.03%	0.004%
14	2.699	650	656	665	rVB2	1209	1832	0.35%	0.040%
15	2.841	691	700	708	rVB2	586	1167	0.22%	0.025%
16	3.046	763	764	767	rVB	252	118	0.02%	0.003%
17	3.079	771	774	780	rVV	103	139	0.03%	0.003%
18	3.172	800	803	808	rVB2	184	161	0.03%	0.003%
19	3.378	865	867	870	rVB	177	116	0.02%	0.003%
20	3.397	870	873	874	rBV	144	106	0.02%	0.002%
21	3.599	934	936	938	rBV	144	101	0.02%	0.002%
22	3.686	960	963	965	rBV	121	110	0.02%	0.002%
23	3.876	1017	1022	1025	rBV	182	231	0.04%	0.005%
24	3.918	1029	1035	1038	rBV	143	221	0.04%	0.005%
25	3.947	1041	1044	1046	rBV	213	123	0.02%	0.003%
26	3.963	1046	1049	1053	rVV2	147	124	0.02%	0.003%
27	4.178	1096	1116	1124	rBV	42474	101754	19.33%	2.201%
28	4.503	1215	1217	1221	rVB	212	166	0.03%	0.004%
29	4.529	1222	1225	1229	rBV	136	141	0.03%	0.003%
30	4.651	1245	1263	1283	rVV	77835	185047	35.16%	4.003%
31	4.722	1283	1285	1289	rVV3	361	291	0.06%	0.006%
32	4.757	1293	1296	1298	rVV	219	131	0.02%	0.003%
33	4.770	1298	1300	1303	rVV2	242	151	0.03%	0.003%
34	4.789	1303	1306	1310	rVV	225	217	0.04%	0.005%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU083018\
 Data File : VU026467.D
 Acq On : 30 Aug 2018 23:32
 Operator : MD/SY
 Sample : J4691-07DL 10X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEE04DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Title : VOC Analysis

35	4.940	1350	1353	1354	rBV	171	117	0.02%	0.003%
36	4.998	1367	1371	1372	rBV	147	106	0.02%	0.002%
37	5.043	1380	1385	1388	rBV	173	204	0.04%	0.004%
38	5.342	1455	1478	1496	rBV2	153782	455084	86.47%	9.845%
39	5.452	1510	1512	1513	rBV2	248	120	0.02%	0.003%
40	5.612	1559	1562	1569	rBV	170	255	0.05%	0.006%
41	5.664	1575	1578	1581	rBB	144	118	0.02%	0.003%
42	5.709	1586	1592	1597	rBV	174	298	0.06%	0.006%
43	5.889	1633	1648	1672	rBV	188024	358296	68.08%	7.751%
44	6.043	1692	1696	1698	rBV2	264	202	0.04%	0.004%
45	6.188	1730	1741	1758	rBV2	34899	65839	12.51%	1.424%
46	6.332	1772	1786	1802	rBV	108656	213538	40.57%	4.619%
47	6.673	1889	1892	1895	rBV	176	168	0.03%	0.004%
48	6.828	1935	1940	1945	rBB	223	274	0.05%	0.006%
49	6.860	1945	1950	1952	rBV	154	178	0.03%	0.004%
50	7.014	1993	1998	2000	rBV	165	167	0.03%	0.004%
51	7.050	2007	2009	2012	rBV	138	118	0.02%	0.003%
52	7.123	2030	2032	2037	rBV	169	192	0.04%	0.004%
53	7.230	2053	2065	2082	rBV	56616	99064	18.82%	2.143%
54	7.345	2099	2101	2103	rBV	154	109	0.02%	0.002%
55	7.567	2156	2170	2189	rBV	211119	359091	68.23%	7.768%
56	7.850	2247	2258	2274	rBV	39115	64932	12.34%	1.405%
57	7.979	2295	2298	2303	rBV2	270	234	0.04%	0.005%
58	8.011	2305	2308	2309	rBV2	221	127	0.02%	0.003%
59	8.185	2347	2362	2365	rBV	22832	36524	6.94%	0.790%
60	8.230	2366	2376	2392	rVV	303858	526291	100.00%	11.385%
61	8.313	2392	2402	2428	rVB	143820	246288	46.80%	5.328%
62	8.426	2435	2437	2441	rVB	491	330	0.06%	0.007%
63	8.445	2441	2443	2446	rBV	251	177	0.03%	0.004%
64	8.493	2456	2458	2462	rVB2	189	115	0.02%	0.002%
65	9.091	2632	2644	2663	rBV	271523	433157	82.30%	9.370%
66	10.432	3050	3061	3083	rVB	150006	238789	45.37%	5.166%
67	10.612	3107	3117	3130	rBV3	6167	11856	2.25%	0.256%
68	10.670	3131	3135	3136	rBV	362	237	0.05%	0.005%
69	10.779	3166	3169	3172	rBV2	194	175	0.03%	0.004%
70	10.879	3197	3200	3201	rBV	142	99	0.02%	0.002%
71	11.049	3250	3253	3258	rVB2	222	148	0.03%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU083018\
 Data File : VU026467.D
 Acq On : 30 Aug 2018 23:32
 Operator : MD/SY
 Sample : J4691-07DL 10X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEE04DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Title : VOC Analysis

72	11.181	3289	3294	3297	rVV2	174	205	0.04%	0.004%
73	11.487	3377	3389	3411	rBV	241404	370598	70.42%	8.017%
74	11.718	3458	3461	3464	rBV	138	109	0.02%	0.002%
75	11.863	3493	3506	3528	rBV	205309	325716	61.89%	7.046%
76	11.991	3544	3546	3549	rVB	167	105	0.02%	0.002%
77	12.448	3685	3688	3690	rBV	187	149	0.03%	0.003%
78	12.477	3690	3697	3707	rVB2	1224	2317	0.44%	0.050%
79	12.638	3743	3747	3752	rBV2	180	138	0.03%	0.003%
80	13.007	3859	3862	3864	rBV2	241	128	0.02%	0.003%
81	13.059	3875	3878	3880	rBV	163	103	0.02%	0.002%
82	13.149	3903	3906	3912	rBB	220	179	0.03%	0.004%
83	13.239	3932	3934	3940	rVB	338	299	0.06%	0.006%
84	13.281	3945	3947	3953	rVB	242	155	0.03%	0.003%
85	13.323	3957	3960	3962	rBV	162	114	0.02%	0.002%
86	13.390	3978	3981	3991	rVB2	205	236	0.04%	0.005%
87	13.454	3999	4001	4004	rVB2	214	117	0.02%	0.003%
88	13.535	4023	4026	4034	rVB	224	153	0.03%	0.003%
89	13.673	4064	4069	4071	rBV2	210	208	0.04%	0.004%
90	13.708	4078	4080	4082	rVB2	196	101	0.02%	0.002%
91	13.747	4088	4092	4096	rVB2	211	218	0.04%	0.005%
92	13.863	4126	4128	4130	rBV	188	111	0.02%	0.002%
93	13.927	4145	4148	4151	rBV2	173	151	0.03%	0.003%
94	14.091	4196	4199	4201	rBV2	229	186	0.04%	0.004%
95	14.146	4212	4216	4222	rBV2	427	515	0.10%	0.011%
96	14.184	4225	4228	4232	rVV	190	135	0.03%	0.003%
97	14.281	4254	4258	4265	rVB3	1336	1559	0.30%	0.034%
98	14.416	4297	4300	4303	rBV2	271	187	0.04%	0.004%
99	14.490	4320	4323	4330	rVB	223	181	0.03%	0.004%
100	14.609	4358	4360	4365	rBV	245	145	0.03%	0.003%

Sum of corrected areas: 4622619

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU083018\
Data File : VU026467.D
Acq On : 30 Aug 2018 23:32
Operator : MD/SY
Sample : J4691-07DL 10X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEE04DL

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU083018\
Data File : VU026467.D
Acq On : 30 Aug 2018 23:32
Operator : MD/SY
Sample : J4691-07DL 10X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEE04DL

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc