

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU083120\
 Data File : VU040005.D
 Acq On : 31 Aug 2020 14:02
 Operator : SY/MD
 Sample : L3838-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AG1

Quant Time: Sep 01 02:02:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Aug 31 18:16:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	128522	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	124193	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	55415	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	29866	4.26	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	85.20%
7) Chloroethane-d5	1.92	69	25438	4.35	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	87.00%
11) 1,1-Dichloroethene-d2	2.58	63	51605	2.87	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	57.40%#
20) 2-Butanone-d5	4.65	46	123086	43.85	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	87.70%
24) Chloroform-d	5.08	84	68866	4.20	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.00%
26) 1,2-Dichloroethane-d4	5.72	65	42241	4.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.40%
32) Benzene-d6	5.74	84	129115	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.00%
36) 1,2-Dichloropropane-d6	6.71	67	43547	4.56	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.20%
41) Toluene-d8	7.91	98	109909	4.20	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.00%
43) trans-1,3-Dichloropropene-	8.19	79	17165	3.91	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.20%
46) 2-Hexanone-d5	8.64	63	89387	42.98	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.96%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	35812	4.33	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.60%
64) 1,2-Dichlorobenzene-d4	12.19	152	39796	4.44	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	88.80%


Target Compounds					Ovalue
3) Chloromethane	1.53	50	1601	0.131 ug/L	87
6) Bromomethane	1.87	94	1716	0.271 ug/L	92
13) Acetone	2.67	43	5063	1.949 ug/L	71


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU083120\
Data File : VU040005.D
Acq On : 31 Aug 2020 14:02
Operator : SY/MD
Sample : L3838-01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AG1

Quant Time: Sep 01 02:02:01 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Aug 31 18:16:59 2020
Response via : Initial Calibration





#3

Chloromethane

Concen: 0.131 ug/L

RT: 1.53 min Scan# 58

Delta R.T. 0.00 min

Lab File: VU040005.D

Acq: 31 Aug 2020 14:02

Instrument :

MSVOA_U

ClientSampleId :


C0AG1

Tot Ion: 50 Resp: 1601

Ion Ratio Lower Upper




50 100

52 25.2 22.8 42.4



Abundance Ion 50.05 (49.75 to 50.75): VU0

Ion 52.05 (51.75 to 52.75): VU0



#6

Bromomethane

Concen: 0.271 ug/L

RT: 1.87 min Scan# 164

Delta R.T. 0.00 min

Lab File: VU040005.D


Acq: 31 Aug 2020 14:02

Tgt Ion: 94 Resp: 1716

Ion Ratio Lower Upper



94 100


96 81.6 62.3 115.7



Abundance Ion 94.00 (93.70 to 94.70): VU0

Ion 96.00 (95.70 to 96.70): VU0





#13
 Acetone
 Concen: 1.949 ug/L
 RT: 2.67 min Scan# 413
 Delta R.T. -0.00 min
 Lab File: VU040005.D
 Acq: 31 Aug 2020 14:02

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AG1

Tot Ion: 43 Resp: 5063
 Ion Ratio Lower Upper
 43 100
 58 12.5 0.0 55.4

