

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U090420\
 Data File : VU040043.D
 Acq On : 04 Sep 2020 13:37
 Operator : SY/MD
 Sample : L3891-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW2A0

Quant Time: Sep 05 03:13:56 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Sep 05 02:51:46 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	111459	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	108746	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	48318	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	27797	4.57	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.40%
7) Chloroethane-d5	1.92	69	25441	5.02	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	100.40%
11) 1,1-Dichloroethene-d2	2.58	63	49968	3.20	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	64.00%
20) 2-Butanone-d5	4.65	46	132635	54.49	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.98%
24) Chloroform-d	5.08	84	72267	5.08	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.60%
26) 1,2-Dichloroethane-d4	5.72	65	45473	5.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.60%
32) Benzene-d6	5.75	84	132199	5.21	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.20%
36) 1,2-Dichloropropane-d6	6.70	67	43618	5.21	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	104.20%
41) Toluene-d8	7.91	98	112504	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.20%
43) trans-1,3-Dichloropropene-	8.19	79	18113	4.71	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.20%
46) 2-Hexanone-d5	8.64	63	96487	52.99	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	105.98%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	38670	5.34	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	106.80%
64) 1,2-Dichlorobenzene-d4	12.19	152	43115	5.51	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	110.20%


Target Compounds					Ovalue
13) Acetone	2.65	43	10862	4.820 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU090420\
Data File : VU040043.D
Acq On : 04 Sep 2020 13:37
Operator : SY/MD
Sample : L3891-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EW2A0

Quant Time: Sep 05 03:13:56 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Sep 05 02:51:46 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.820 ug/L
 RT: 2.65 min Scan# 408
 Delta R.T. 0.01 min
 Lab File: VU040043.D
 Acq: 04 Sep 2020 13:37

Instrument :
 MSVOA_U
 ClientSampleId :
 EW2A0

Tot Ion: 43 Resp: 10862
 Ion Ratio Lower Upper
 43 100
 58 27.0 0.0 55.4

