

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU090424\
 Data File : VU060597.D
 Acq On : 04 Sep 2024 14:15
 Operator : MD/SY
 Sample : P3809-06
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YE3F4

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 09/06/2024
 Supervised By :Semsettin Yesilyurt 09/06/2024

Quant Time: Sep 05 03:56:03 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR082324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 05 03:55:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	131712	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	139052	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.808	152	56535	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	37938	6.521	ug/L	0.00
Spiked Amount 5.000	Range 40 - 130		Recovery = 130.400%#			
7) Chloroethane-d5	1.911	69	36785	4.173	ug/L	0.00
Spiked Amount 5.000	Range 65 - 130		Recovery = 83.400%			
11) 1,1-Dichloroethene-d2	2.564	65	17731	5.171	ug/L	0.00
Spiked Amount 5.000	Range 60 - 125		Recovery = 103.400%			
20) 2-Butanone-d5	4.634	46	93991	46.984	ug/L	0.00
Spiked Amount 50.000	Range 40 - 130		Recovery = 93.960%			
24) Chloroform-d	5.056	84	84832	5.115	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery = 102.200%			
26) 1,2-Dichloroethane-d4	5.699	65	41929	4.845	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery = 96.800%			
32) Benzene-d6	5.721	84	155153	5.103	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery = 102.000%			
36) 1,2-Dichloropropane-d6	6.682	67	52524	5.354	ug/L	0.00
Spiked Amount 5.000	Range 60 - 140		Recovery = 107.000%			
41) Toluene-d8	7.891	98	124823	4.376	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery = 87.600%			
43) trans-1,3-Dichloroprop...	8.178	79	14814	4.220	ug/L	0.00
Spiked Amount 5.000	Range 55 - 130		Recovery = 84.400%			
46) 2-Hexanone-d5	8.631	63	61558	36.623	ug/L	0.00
Spiked Amount 50.000	Range 45 - 130		Recovery = 73.240%			
56) 1,1,2,2-Tetrachloroeth...	10.750	84	38658	4.428	ug/L	0.00
Spiked Amount 5.000	Range 65 - 120		Recovery = 88.600%			
66) 1,2-Dichlorobenzene-d4	12.187	152	44361	5.322	ug/L	0.00
Spiked Amount 5.000	Range 80 - 120		Recovery = 106.400%			
Target Compounds					Qvalue	
13) Acetone	2.644	43	16941m	10.120	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU090424\
Data File : VU060597.D
Acq On : 04 Sep 2024 14:15
Operator : MD/SY
Sample : P3809-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
YE3F4

Quant Time: Sep 05 03:56:03 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR082324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Sep 05 03:55:13 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 09/06/2024
Supervised By :Semsettin Yesilyurt 09/06/2024





#13
 Acetone
 Concen: 10.120 ug/L m
 RT: 2.644 min Scan# 41
 Delta R.T. -0.006 min
 Lab File: VU060597.D
 Acq: 04 Sep 2024 14:15

Instrument :
 MSVOA_U
 ClientSampleId :
 YE3F4



Tgt Ion: 43 Resp: 1694
 Ion Ratio Lower Upper
 43 100
 58 28.7 0.0 66.8

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 09/06/2024
 Supervised By :Semsettin Yesilyurt 09/06/2024

