

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU090518\
 Data File : VU026537.D
 Acq On : 05 Sep 2018 11:49
 Operator : MD/SY
 Sample : J4694-05 500X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEE23

Quant Time: Sep 06 05:36:38 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 06 04:37:37 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	165022	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	155185	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	64278	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	44215	43.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.48%
7) Chloroethane-d5	1.68	69	41152	44.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.12%
11) 1,1-Dichloroethene-d2	2.27	63	62244	27.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	54.06%#
21) 2-Butanone-d5	4.18	46	74937	94.43	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.43%
24) Chloroform-d	4.65	84	81997	42.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.92%
26) 1,2-Dichloroethane-d4	5.31	65	57638	44.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.66%
32) Benzene-d6	5.34	84	168138	47.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.02%
36) 1,2-Dichloropropane-d6	6.33	67	58495	47.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.22%
41) Toluene-d8	7.57	98	147463	42.71	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.42%
43) trans-1,3-Dichloropropene-	7.85	79	25034	44.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.24%
47) 2-Hexanone-d5	8.31	63	51800	91.92	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.92%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	81275	44.90	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.80%
64) 1,2-Dichlorobenzene-d4	11.86	152	58208	49.91	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.82%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU090518\
Data File : VU026537.D
Acq On : 05 Sep 2018 11:49
Operator : MD/SY
Sample : J4694-05 500X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEE23

Quant Time: Sep 06 05:36:38 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 06 04:37:37 2018
Response via : Initial Calibration

