

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU090518\
 Data File : VU026553.D
 Acq On : 05 Sep 2018 19:42
 Operator : MD/SY
 Sample : J4694-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEE28

Quant Time: Sep 06 07:20:25 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 06 05:59:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	168359	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	156736	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	65682	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	39318	37.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	75.38%
7) Chloroethane-d5	1.68	69	38266	40.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	81.24%
11) 1,1-Dichloroethene-d2	2.27	63	60791	25.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	51.76%#
21) 2-Butanone-d5	4.18	46	83194	102.76	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.76%
24) Chloroform-d	4.65	84	88402	44.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.74%
26) 1,2-Dichloroethane-d4	5.31	65	60488	46.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.24%
32) Benzene-d6	5.34	84	172340	47.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.42%
36) 1,2-Dichloropropane-d6	6.33	67	61450	49.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.04%
41) Toluene-d8	7.57	98	152412	43.71	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.42%
43) trans-1,3-Dichloropropene-	7.85	79	15595	27.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	55.04%#
47) 2-Hexanone-d5	8.31	63	56936	100.03	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.03%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	85894	46.98	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.96%
64) 1,2-Dichlorobenzene-d4	11.86	152	60987	51.18	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.36%

Target Compounds

						Ovalue
3) Chloromethane	1.33	50	39982	24.67	ug/L	100
6) Bromomethane	1.63	94	7745	7.43	ug/L	98
13) Acetone	2.32	43	54753	78.10	ug/L	99
20) cis-1,2-Dichloroethene	4.23	96	5581	4.58	ug/L	95
22) 2-Butanone	4.27	43	19107	20.28	ug/L	97
33) Benzene	5.39	78	74340	16.54	ug/L	100
34) Trichloroethene	6.19	95	3896	3.46	ug/L	96
46) Tetrachloroethene	8.23	164	43754	47.48	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU090518\
Data File : VU026553.D
Acq On : 05 Sep 2018 19:42
Operator : MD/SY
Sample : J4694-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEE28

Quant Time: Sep 06 07:20:25 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 06 05:59:28 2018
Response via : Initial Calibration

