

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU090518\
 Data File : VU026568.D
 Acq On : 06 Sep 2018 01:32
 Operator : MD/SY
 Sample : J4718-13
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEGC9

Quant Time: Sep 06 08:08:32 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 06 05:59:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	161630	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	152716	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	65067	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	42937	42.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.76%
7) Chloroethane-d5	1.68	69	39704	43.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.80%
11) 1,1-Dichloroethene-d2	2.27	63	63251	28.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	56.10%#
21) 2-Butanone-d5	4.18	46	78189	100.60	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.60%
24) Chloroform-d	4.65	84	86741	45.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.72%
26) 1,2-Dichloroethane-d4	5.31	65	58611	46.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.10%
32) Benzene-d6	5.35	84	165447	47.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.00%
36) 1,2-Dichloropropane-d6	6.33	67	59535	49.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.48%
41) Toluene-d8	7.57	98	144331	42.48	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	84.96%
43) trans-1,3-Dichloropropene-	7.85	79	23616	42.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.54%
47) 2-Hexanone-d5	8.31	63	54385	98.07	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.07%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	84919	47.67	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.34%
64) 1,2-Dichlorobenzene-d4	11.86	152	59079	50.04	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.08%


Target Compounds					Ovalue
13) Acetone	2.32	43	3754	5.58 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU090518\
Data File : VU026568.D
Acq On : 06 Sep 2018 01:32
Operator : MD/SY
Sample : J4718-13
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 42 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEGC9

Quant Time: Sep 06 08:08:32 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 06 05:59:28 2018
Response via : Initial Calibration





#13
 Acetone
 Concen: 5.58 ug/L
 RT: 2.32 min Scan# 538
 Delta R.T. -0.00 min
 Lab File: VU026568.D
 Acq: 06 Sep 2018 01:32

Instrument :
 MSVOA_U
 ClientSampleId :
 BEGC9

Tot Ion: 43 Resp: 3754
 Ion Ratio Lower Upper
 43 100
 58 34.4 0.0 61.2

