

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU090518\
 Data File : VU026569.D
 Acq On : 06 Sep 2018 01:55
 Operator : MD/SY
 Sample : J4718-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEGD0

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	0.632	8	13	15	rBV	162	177	0.04%	0.004%
2	0.719	37	40	46	rVB	68	62	0.01%	0.001%
3	0.899	94	96	98	rBB	127	68	0.01%	0.002%
4	0.918	99	102	105	rBV	129	109	0.02%	0.003%
5	0.963	114	116	118	rBB	130	69	0.01%	0.002%
6	1.018	131	133	136	rBV	115	100	0.02%	0.002%
7	1.085	146	154	170	rBV	163631	182436	37.70%	4.374%
8	1.397	244	251	267	rVB	62657	65932	13.62%	1.581%
9	1.677	331	338	354	rVB	53832	69870	14.44%	1.675%
10	2.188	492	497	502	rBV4	1586	1914	0.40%	0.046%
11	2.269	512	522	535	rBV	106299	159629	32.98%	3.827%
12	2.593	620	623	626	rBV	119	89	0.02%	0.002%
13	2.613	626	629	631	rBV	281	234	0.05%	0.006%
14	2.700	653	656	658	rVB2	243	151	0.03%	0.004%
15	2.809	689	690	692	rBV	135	67	0.01%	0.002%
16	2.822	692	694	696	rBV2	163	93	0.02%	0.002%
17	3.285	836	838	840	rVB	160	66	0.01%	0.002%
18	3.349	856	858	861	rBV	170	103	0.02%	0.002%
19	3.368	861	864	868	rVV	145	101	0.02%	0.002%
20	3.410	875	877	880	rVB2	129	71	0.01%	0.002%
21	3.529	912	914	919	rVB	183	81	0.02%	0.002%
22	3.995	1056	1059	1061	rBV	300	214	0.04%	0.005%
23	4.095	1086	1090	1093	rBV	96	90	0.02%	0.002%
24	4.179	1102	1116	1141	rBV	46774	119658	24.73%	2.869%
25	4.651	1245	1263	1287	rBV	84968	196904	40.69%	4.720%
26	4.876	1329	1333	1334	rBV	268	180	0.04%	0.004%
27	5.021	1372	1378	1381	rVB	79	96	0.02%	0.002%
28	5.343	1453	1478	1510	rVV3	162641	483951	100.00%	11.602%
29	5.487	1520	1523	1526	rBV	103	61	0.01%	0.001%
30	5.548	1539	1542	1547	rBV	76	78	0.02%	0.002%
31	5.889	1634	1648	1671	rBV	192952	375367	77.56%	8.999%
32	6.008	1683	1685	1690	rVB	198	122	0.03%	0.003%
33	6.060	1696	1701	1706	rVB2	238	230	0.05%	0.006%
34	6.092	1706	1711	1717	rBV	151	158	0.03%	0.004%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU090518\
 Data File : VU026569.D
 Acq On : 06 Sep 2018 01:55
 Operator : MD/SY
 Sample : J4718-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEGD0

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Title : VOC Analysis

35	6.182	1736	1739	1741	rVV	164	109	0.02%	0.003%
36	6.333	1773	1786	1809	rVB	116919	231631	47.86%	5.553%
37	6.455	1822	1824	1826	rBV	262	94	0.02%	0.002%
38	6.728	1906	1909	1912	rBV	76	62	0.01%	0.001%
39	6.863	1945	1951	1953	rBV3	322	357	0.07%	0.009%
40	6.950	1975	1978	1983	rBV	77	69	0.01%	0.002%
41	7.230	2054	2065	2081	rBV	58568	101599	20.99%	2.436%
42	7.378	2108	2111	2115	rVB2	297	168	0.03%	0.004%
43	7.404	2116	2119	2123	rBV	70	74	0.02%	0.002%
44	7.568	2157	2170	2186	rBV	213915	363466	75.10%	8.714%
45	7.703	2208	2212	2217	rVB2	255	240	0.05%	0.006%
46	7.728	2217	2220	2222	rBV	299	183	0.04%	0.004%
47	7.850	2248	2258	2279	rBV	41367	68408	14.14%	1.640%
48	7.966	2290	2294	2296	rBV2	245	204	0.04%	0.005%
49	7.989	2298	2301	2304	rVB2	325	254	0.05%	0.006%
50	8.082	2326	2330	2335	rBV	105	91	0.02%	0.002%
51	8.121	2340	2342	2348	rVB2	168	106	0.02%	0.003%
52	8.182	2348	2361	2370	rBV2	8164	15383	3.18%	0.369%
53	8.313	2391	2402	2436	rVB	155701	266318	55.03%	6.385%
54	8.465	2447	2449	2455	rVB2	276	245	0.05%	0.006%
55	8.548	2473	2475	2479	rVB	168	105	0.02%	0.003%
56	8.658	2507	2509	2513	rVB	210	117	0.02%	0.003%
57	8.731	2529	2532	2536	rVV	227	169	0.03%	0.004%
58	8.751	2536	2538	2542	rVB	191	78	0.02%	0.002%
59	8.886	2576	2580	2582	rBV2	202	161	0.03%	0.004%
60	9.092	2631	2644	2663	rBV	279439	450722	93.13%	10.805%
61	9.204	2677	2679	2684	rVB	248	132	0.03%	0.003%
62	9.403	2731	2741	2760	rVV2	5227	11824	2.44%	0.283%
63	9.513	2773	2775	2779	rVB2	266	164	0.03%	0.004%
64	9.622	2806	2809	2811	rVB	141	81	0.02%	0.002%
65	9.937	2905	2907	2916	rVB	231	162	0.03%	0.004%
66	10.166	2976	2978	2981	rBV	159	95	0.02%	0.002%
67	10.207	2988	2991	2993	rBV	101	65	0.01%	0.002%
68	10.233	2997	2999	3000	rBV	127	71	0.01%	0.002%
69	10.333	3027	3030	3032	rBV2	147	85	0.02%	0.002%
70	10.432	3050	3061	3078	rBV	164901	262441	54.23%	6.292%
71	10.609	3108	3116	3129	rVB2	3467	6085	1.26%	0.146%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU090518\
 Data File : VU026569.D
 Acq On : 06 Sep 2018 01:55
 Operator : MD/SY
 Sample : J4718-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEGD0

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Title : VOC Analysis

72	10.770	3164	3166	3168	rBV	149	70	0.01%	0.002%
73	10.876	3196	3199	3202	rBV	313	243	0.05%	0.006%
74	11.085	3262	3264	3269	rVB	267	126	0.03%	0.003%
75	11.249	3313	3315	3317	rBV	166	82	0.02%	0.002%
76	11.317	3334	3336	3339	rBV	185	130	0.03%	0.003%
77	11.484	3376	3388	3406	rBV	247516	385885	79.74%	9.251%
78	11.593	3420	3422	3424	rVB	141	73	0.02%	0.002%
79	11.632	3432	3434	3437	rVB2	162	86	0.02%	0.002%
80	11.764	3474	3475	3478	rVB	186	76	0.02%	0.002%
81	11.860	3494	3505	3526	rBV	212297	338763	70.00%	8.121%
82	12.146	3592	3594	3595	rBV	214	88	0.02%	0.002%
83	12.349	3655	3657	3662	rVB	232	151	0.03%	0.004%
84	12.481	3690	3698	3707	rVB2	1114	1945	0.40%	0.047%
85	12.616	3738	3740	3743	rVB	181	76	0.02%	0.002%
86	12.944	3839	3842	3843	rBV2	191	107	0.02%	0.003%
87	13.207	3920	3924	3926	rBV	196	181	0.04%	0.004%
88	13.233	3930	3932	3933	rBV	209	78	0.02%	0.002%
89	13.262	3938	3941	3943	rBV	201	129	0.03%	0.003%
90	13.278	3943	3946	3948	rBV	156	95	0.02%	0.002%
91	13.542	4024	4028	4032	rBV2	328	370	0.08%	0.009%
92	13.609	4046	4049	4051	rBV	187	115	0.02%	0.003%
93	13.651	4056	4062	4064	rBV	295	294	0.06%	0.007%
94	13.689	4072	4074	4077	rVV	238	124	0.03%	0.003%
95	13.709	4078	4080	4083	rVB	237	97	0.02%	0.002%
96	13.818	4111	4114	4116	rBV2	205	148	0.03%	0.004%
97	13.934	4148	4150	4153	rBV	193	80	0.02%	0.002%
98	14.053	4185	4187	4191	rVB2	367	194	0.04%	0.005%
99	14.239	4241	4245	4247	rBV	259	221	0.05%	0.005%
100	14.278	4253	4257	4268	rVB	823	1108	0.23%	0.027%


Sum of corrected areas: 4171284

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU090518\
Data File : VU026569.D
Acq On : 06 Sep 2018 01:55
Operator : MD/SY
Sample : J4718-14
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEGD0

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU090518\
Data File : VU026569.D
Acq On : 06 Sep 2018 01:55
Operator : MD/SY
Sample : J4718-14
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEGD0

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU090518\
Data File : VU026569.D
Acq On : 06 Sep 2018 01:55
Operator : MD/SY
Sample : J4718-14
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEGD0

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
