

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU090618\
 Data File : VU026580.D
 Acq On : 06 Sep 2018 15:11
 Operator : MD/SY
 Sample : J4718-17
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEGD3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.398	64	70	84	rBV2	194209	214312	32.16%	4.101%
2	1.678	151	157	175	rVB	74697	99620	14.95%	1.906%
3	2.270	332	341	352	rBV	151556	224559	33.69%	4.297%
4	2.984	555	563	578	rVB	14953	27087	4.06%	0.518%
5	3.453	700	709	720	rVB2	4792	9760	1.46%	0.187%
6	3.617	755	760	764	rBV	108	105	0.02%	0.002%
7	3.652	768	771	773	rBV	68	50	0.01%	0.001%
8	3.694	781	784	786	rBV	92	63	0.01%	0.001%
9	3.784	809	812	814	rBV	167	84	0.01%	0.002%
10	3.813	818	821	826	rBV	135	147	0.02%	0.003%
11	3.884	837	843	844	rBV	62	49	0.01%	0.001%
12	3.971	864	870	875	rBV	66	78	0.01%	0.001%
13	4.006	878	881	886	rVB	125	100	0.02%	0.002%
14	4.093	903	908	909	rBV	263	225	0.03%	0.004%
15	4.180	921	935	941	rBV	61537	134309	20.15%	2.570%
16	4.447	1016	1018	1021	rVB	133	71	0.01%	0.001%
17	4.562	1048	1054	1056	rBV	124	123	0.02%	0.002%
18	4.649	1061	1081	1104	rBV	112589	262229	39.34%	5.018%
19	4.990	1182	1187	1189	rBV	840	783	0.12%	0.015%
20	5.157	1234	1239	1243	rBV3	418	385	0.06%	0.007%
21	5.344	1272	1297	1331	rBV2	218051	666492	100.00%	12.754%
22	5.485	1340	1341	1344	rBV	114	41	0.01%	0.001%
23	5.498	1344	1345	1348	rVB	246	94	0.01%	0.002%
24	5.520	1350	1352	1357	rVB	147	54	0.01%	0.001%
25	5.569	1365	1367	1370	rVB	164	54	0.01%	0.001%
26	5.594	1371	1375	1379	rVB	106	101	0.02%	0.002%
27	5.617	1379	1382	1383	rBV	148	64	0.01%	0.001%
28	5.681	1400	1402	1404	rBB	105	39	0.01%	0.001%
29	5.755	1422	1425	1430	rVB	181	119	0.02%	0.002%
30	5.794	1431	1437	1440	rBV2	362	320	0.05%	0.006%
31	5.890	1451	1467	1489	rBV	207189	402704	60.42%	7.706%
32	6.032	1509	1511	1512	rVB	142	54	0.01%	0.001%
33	6.041	1512	1514	1518	rVB	98	57	0.01%	0.001%
34	6.064	1518	1521	1523	rBV	58	36	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU090618\
 Data File : VU026580.D
 Acq On : 06 Sep 2018 15:11
 Operator : MD/SY
 Sample : J4718-17
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEGD3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Title : VOC Analysis

35	6.077	1523	1525	1527	rBV2	171	102	0.02%	0.002%
36	6.099	1530	1532	1536	rVB	163	86	0.01%	0.002%
37	6.189	1548	1560	1578	rVB	76298	141667	21.26%	2.711%
38	6.257	1578	1581	1591	rVB	88	97	0.01%	0.002%
39	6.334	1591	1605	1625	rBV	149708	295899	44.40%	5.662%
40	6.459	1640	1644	1645	rBV	217	140	0.02%	0.003%
41	6.491	1653	1654	1656	rVB	109	42	0.01%	0.001%
42	6.511	1656	1660	1664	rBV	104	81	0.01%	0.002%
43	6.565	1675	1677	1679	rBV	78	36	0.01%	0.001%
44	6.675	1707	1711	1714	rBV	90	73	0.01%	0.001%
45	6.745	1729	1733	1735	rBV	197	120	0.02%	0.002%
46	6.790	1744	1747	1754	rVB	99	102	0.02%	0.002%
47	6.848	1761	1765	1767	rBV3	338	253	0.04%	0.005%
48	6.903	1779	1782	1784	rVB	128	91	0.01%	0.002%
49	6.954	1796	1798	1800	rVV	107	48	0.01%	0.001%
50	6.996	1808	1811	1814	rBV	64	39	0.01%	0.001%
51	7.025	1817	1820	1822	rBV	63	37	0.01%	0.001%
52	7.086	1834	1839	1841	rBV	187	136	0.02%	0.003%
53	7.102	1842	1844	1848	rVB	170	86	0.01%	0.002%
54	7.231	1872	1884	1899	rBV	79176	139316	20.90%	2.666%
55	7.334	1914	1916	1918	rBV	170	91	0.01%	0.002%
56	7.366	1923	1926	1927	rBV2	211	82	0.01%	0.002%
57	7.376	1927	1929	1933	rVB	321	217	0.03%	0.004%
58	7.408	1933	1939	1942	rBV	211	137	0.02%	0.003%
59	7.472	1952	1959	1968	rBV4	977	1651	0.25%	0.032%
60	7.569	1976	1989	2007	rBV	285355	494830	74.24%	9.469%
61	7.752	2042	2046	2049	rVB2	228	146	0.02%	0.003%
62	7.771	2049	2052	2054	rBV	73	46	0.01%	0.001%
63	7.852	2066	2077	2097	rBV2	57058	95920	14.39%	1.835%
64	7.942	2102	2105	2107	rVB2	161	96	0.01%	0.002%
65	7.977	2114	2116	2119	rVB2	155	83	0.01%	0.002%
66	8.041	2133	2136	2137	rBV2	169	83	0.01%	0.002%
67	8.128	2158	2163	2167	rVB	83	87	0.01%	0.002%
68	8.183	2167	2180	2188	rBV3	6132	12008	1.80%	0.230%
69	8.315	2210	2221	2248	rBV	198292	337803	50.68%	6.464%
70	8.514	2282	2283	2285	rVB	154	53	0.01%	0.001%
71	8.543	2289	2292	2294	rBV	187	107	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU090618\
 Data File : VU026580.D
 Acq On : 06 Sep 2018 15:11
 Operator : MD/SY
 Sample : J4718-17
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEGD3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Title : VOC Analysis

72	8.594	2303	2308	2313	rBV2	191	234	0.04%	0.004%
73	8.633	2314	2320	2325	rVV3	281	437	0.07%	0.008%
74	8.688	2334	2337	2341	rBV	164	93	0.01%	0.002%
75	8.823	2376	2379	2383	rVB	181	107	0.02%	0.002%
76	8.842	2383	2385	2386	rBV	133	35	0.01%	0.001%
77	8.880	2395	2397	2399	rBV	141	69	0.01%	0.001%
78	8.938	2412	2415	2418	rBV2	130	91	0.01%	0.002%
79	9.093	2450	2463	2488	rBV	294935	476768	71.53%	9.123%
80	9.208	2494	2499	2503	rBV3	314	288	0.04%	0.006%
81	9.244	2508	2510	2511	rBV	224	82	0.01%	0.002%
82	9.376	2547	2551	2554	rBV2	270	300	0.05%	0.006%
83	9.408	2554	2561	2570	rBV3	2535	4866	0.73%	0.093%
84	9.784	2672	2678	2681	rBV2	901	896	0.13%	0.017%
85	9.945	2724	2728	2731	rBV2	165	136	0.02%	0.003%
86	10.109	2773	2779	2780	rBV2	644	517	0.08%	0.010%
87	10.170	2795	2798	2804	rBV2	311	200	0.03%	0.004%
88	10.218	2811	2813	2816	rBV	193	97	0.01%	0.002%
89	10.433	2868	2880	2898	rBV	202736	321723	48.27%	6.156%
90	10.613	2928	2936	2951	rVB	4103	6415	0.96%	0.123%
91	10.822	2997	3001	3008	rBV	488	687	0.10%	0.013%
92	10.932	3032	3035	3038	rBV	187	164	0.02%	0.003%
93	11.115	3088	3092	3099	rVB2	255	300	0.05%	0.006%
94	11.247	3131	3133	3134	rBV2	149	44	0.01%	0.001%
95	11.347	3163	3164	3167	rBV	120	47	0.01%	0.001%
96	11.485	3195	3207	3232	rBV	266331	410718	61.62%	7.859%
97	11.572	3232	3234	3237	rVB	388	160	0.02%	0.003%
98	11.675	3263	3266	3269	rBV2	258	170	0.03%	0.003%
99	11.861	3312	3324	3340	rBV	271142	431575	64.75%	8.258%
100	12.482	3508	3517	3524	rBV2	1744	2475	0.37%	0.047%


Sum of corrected areas: 5225953

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU090618\
Data File : VU026580.D
Acq On : 06 Sep 2018 15:11
Operator : MD/SY
Sample : J4718-17
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEGD3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU090618\
Data File : VU026580.D
Acq On : 06 Sep 2018 15:11
Operator : MD/SY
Sample : J4718-17
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEGD3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU090618\
Data File : VU026580.D
Acq On : 06 Sep 2018 15:11
Operator : MD/SY
Sample : J4718-17
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEGD3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc