

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU090721\
 Data File : VU044590.D
 Acq On : 07 Sep 2021 17:51
 Operator : SY/MD
 Sample : M3647-08
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F3W09

Quant Time: Sep 08 02:38:35 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR081821WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Sep 08 02:31:37 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	107518	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	112028	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.816	152	58170	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.600	65	33201	3.818	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	76.400%
7) Chloroethane-d5	1.919	69	33496	4.432	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.600%
11) 1,1-Dichloroethene-d2	2.575	65	14435	3.902	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.000%
20) 2-Butanone-d5	4.642	46	98177	40.824	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	81.640%
24) Chloroform-d	5.073	84	62987	4.096	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.000%
26) 1,2-Dichloroethane-d4	5.710	65	35762	4.265	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.200%
32) Benzene-d6	5.735	84	130047	4.122	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.400%
36) 1,2-Dichloropropane-d6	6.697	67	40030	3.966	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	79.400%
41) Toluene-d8	7.902	98	111385	3.982	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.600%
43) trans-1,3-Dichloroprop...	8.185	79	13782	3.803	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.000%
46) 2-Hexanone-d5	8.645	63	87869	44.832	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	89.660%
56) 1,1,2,2-Tetrachloroeth...	10.761	84	36300	4.271	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	85.400%
66) 1,2-Dichlorobenzene-d4	12.198	152	45613	4.641	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.800%
Target Compounds						Qvalue
3) Chloromethane	1.523	50	1389	0.096	ug/L	90
25) Chloroform	5.096	83	3952	0.231	ug/L	98
38) Bromodichloromethane	7.112	83	2240	0.183	ug/L #	98
47) Tetrachloroethene	8.558	164	5113	0.787	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU090721\
Data File : VU044590.D
Acq On : 07 Sep 2021 17:51
Operator : SY/MD
Sample : M3647-08
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F3W09

Quant Time: Sep 08 02:38:35 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR081821WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Sep 08 02:31:37 2021
Response via : Initial Calibration



Abundance Scan 56 (1.520 min): VU044576.D\data.ms (-48)





#3
Chloromethane
Concen: 0.096 ug/L
RT: 1.523 min Scan# 57
Delta R.T. 0.003 min
Lab File: VU044590.D
Acq: 07 Sep 2021 17:51


Tgt Ion: 50 Resp: 1389
Ion Ratio Lower Upper
50 100
52 27.1 22.8 42.4

Instrument :
MSVOA_U
ClientSampled :
F3W09


Abundance Scan 57 (1.523 min): VU044590.D\data.ms



Abundance Scan 57 (1.523 min): VU044590.D\data.ms (-1)





Abundance Scan 1168 (5.096 min): VU044576.D\data.ms (-1)




#25
Chloroform
Concen: 0.231 ug/L
RT: 5.096 min Scan# 1168
Delta R.T. -0.000 min
Lab File: VU044590.D
Acq: 07 Sep 2021 17:51


Tgt Ion: 83 Resp: 3952
Ion Ratio Lower Upper
83 100
85 63.5 45.3 84.1

Abundance Scan 1168 (5.096 min): VU044590.D\data.ms



Abundance Scan 1168 (5.096 min): VU044590.D\data.ms (-1)









#38
Bromodichloromethane
Concen: 0.183 ug/L
RT: 7.112 min Scan# 1795
Delta R.T. -0.000 min
Lab File: VU044590.D
Acq: 07 Sep 2021 17:51

Instrument :
MSVOA_U
ClientSampleId :
F3W09

Tgt Ion:	83	Resp:	2240
Ion	Ratio	Lower	Upper
83	100		
85	65.2	44.6	82.8
127	9.0	5.9	8.9#



#47
Tetrachloroethene
Concen: 0.787 ug/L
RT: 8.558 min Scan# 2245
Delta R.T. -0.000 min
Lab File: VU044590.D
Acq: 07 Sep 2021 17:51

Tgt Ion:	164	Resp:	5113
Ion	Ratio	Lower	Upper
164	100		
129	102.5	71.0	131.8
131	94.1	68.0	126.4
166	121.8	89.0	165.4

