

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU090818\
 Data File : VU026628.D
 Acq On : 07 Sep 2018 19:10
 Operator : MD/SY
 Sample : J4749-18
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E5FB9

Quant Time: Sep 08 02:10:43 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 08 01:21:38 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	136072	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	123235	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	48147	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	41143	48.80	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.60%
7) Chloroethane-d5	1.68	69	38638	50.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.48%
11) 1,1-Dichloroethene-d2	2.27	63	58886	31.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.02%
21) 2-Butanone-d5	4.18	46	77629	118.64	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	118.64%
24) Chloroform-d	4.65	84	81308	51.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.12%
26) 1,2-Dichloroethane-d4	5.31	65	55147	52.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.04%
32) Benzene-d6	5.34	84	154312	54.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.66%
36) 1,2-Dichloropropane-d6	6.33	67	55092	56.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	112.92%
41) Toluene-d8	7.57	98	128924	47.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.04%
43) trans-1,3-Dichloropropene-	7.85	79	22054	49.49	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	98.98%
47) 2-Hexanone-d5	8.31	63	51144	114.28	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	114.28%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	75968	52.84	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	105.68%
64) 1,2-Dichlorobenzene-d4	11.86	152	47491	54.37	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.74%


Target Compounds					Ovalue
13) Acetone	2.32	43	1927	3.40 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU090818\
Data File : VU026628.D
Acq On : 07 Sep 2018 19:10
Operator : MD/SY
Sample : J4749-18
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E5FB9

Quant Time: Sep 08 02:10:43 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM082918WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 08 01:21:38 2018
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.40 ug/L
 RT: 2.32 min Scan# 357
 Delta R.T. 0.00 min
 Lab File: VU026628.D
 Acq: 07 Sep 2018 19:10

Instrument :
 MSVOA_U
 ClientSampleId :
 E5FB9

Tot Ion: 43 Resp: 1927
 Ion Ratio Lower Upper
 43 100
 58 27.0 0.0 61.2

