

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU090819\
 Data File : VU034371.D
 Acq On : 07 Sep 2019 11:24
 Operator : JC/SP
 Sample : K4724-04
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFDA5

Quant Time: Sep 09 05:09:21 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR090119WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Sep 03 14:18:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.87	114	311665	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	304659	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	156817	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	76548	3.65	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	73.00%
7) Chloroethane-d5	1.68	69	70151	4.17	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	83.40%
11) 1,1-Dichloroethene-d2	2.26	63	113588	2.89	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	57.80%#
20) 2-Butanone-d5	4.17	46	208254	42.95	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	85.90%
24) Chloroform-d	4.63	84	158484	4.28	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.60%
26) 1,2-Dichloroethane-d4	5.29	65	76812	4.20	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.00%
32) Benzene-d6	5.32	84	339072	4.27	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.40%
36) 1,2-Dichloropropane-d6	6.31	67	108241	4.39	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.80%
41) Toluene-d8	7.55	98	298548	4.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.20%
43) trans-1,3-Dichloropropene-	7.83	79	37158	4.23	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.60%
46) 2-Hexanone-d5	8.30	63	162097	42.63	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.26%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	81477	4.44	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	88.80%
64) 1,2-Dichlorobenzene-d4	11.84	152	128246	4.76	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.20%


Target Compounds					Ovalue
13) Acetone	2.31	43	9211	2.837 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU090819\
Data File : VU034371.D
Acq On : 07 Sep 2019 11:24
Operator : JC/SP
Sample : K4724-04
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFDA5

Quant Time: Sep 09 05:09:21 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR090119WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Sep 03 14:18:00 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.837 ug/L

RT: 2.31 min Scan# 380

Delta R.T. -0.01 min

Lab File: VU034371.D

Acq: 07 Sep 2019 11:24

Instrument :
MSVOA_U
ClientSampleId :
BFDA5

Tot Ion: 43 Resp: 9211

Ion Ratio Lower Upper

43 100

58 36.9 0.0 67.6

