

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU090819\
 Data File : VU034405.D
 Acq On : 08 Sep 2019 01:52
 Operator : JC/SP
 Sample : K4703-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFD84

Quant Time: Sep 09 06:02:52 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR090119WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Sep 08 03:44:03 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	263106	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	269218	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	121231	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	70274	3.97	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	79.40%
7) Chloroethane-d5	1.68	69	65390	4.60	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.00%
11) 1,1-Dichloroethene-d2	2.26	63	103668	3.12	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.40%
20) 2-Butanone-d5	4.17	46	191550	46.79	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.58%
24) Chloroform-d	4.63	84	151472	4.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.80%
26) 1,2-Dichloroethane-d4	5.29	65	74414	4.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.40%
32) Benzene-d6	5.32	84	307739	4.39	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.80%
36) 1,2-Dichloropropane-d6	6.31	67	101818	4.67	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.40%
41) Toluene-d8	7.55	98	260970	3.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.40%
43) trans-1,3-Dichloropropene-	7.84	79	31471	4.06	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.20%
46) 2-Hexanone-d5	8.30	63	136622	40.66	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	81.32%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	80843	4.99	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.80%
64) 1,2-Dichlorobenzene-d4	11.84	152	109473	5.25	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	105.00%


Target Compounds					Ovalue
13) Acetone	2.32	43	6633	2.420 ug/L	96
47) Tetrachloroethene	8.21	164	4449	0.258 ug/L	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU090819\
Data File : VU034405.D
Acq On : 08 Sep 2019 01:52
Operator : JC/SP
Sample : K4703-01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 41 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFD84

Quant Time: Sep 09 06:02:52 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR090119WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sun Sep 08 03:44:03 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.420 ug/L

RT: 2.32 min Scan# 381

Delta R.T. -0.01 min

Lab File: VU034405.D

Acq: 08 Sep 2019 01:52

Instrument :

MSVOA_U

ClientSampleId :





BFD84

Tot Ion: 43 Resp: 6633

Ion Ratio Lower Upper

43 100

58 31.6 0.0 67.6



#47

Tetrachloroethene

Concen: 0.258 ug/L

RT: 8.21 min Scan# 2213

Delta R.T. -0.00 min

Lab File: VU034405.D

Acq: 08 Sep 2019 01:52

Tgt Ion: 164 Resp: 4449

Ion Ratio Lower Upper

164 100

129 88.5 68.0 126.2

131 74.3 64.6 120.0

166 118.8 92.0 170.8

