

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091018\
 Data File : VU026639.D
 Acq On : 10 Sep 2018 10:04
 Operator : MD/SY
 Sample : VIBLK40
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK40

Quant Time: Sep 11 04:32:36 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Sep 11 04:12:24 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	199905	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	184295	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	83060	50.00	ug/L	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) Vinyl Chloride-d3	1.40	65	73800	49.54	ug/L	0.00
7) Chloroethane-d5	1.68	69	60428	50.34	ug/L	0.00
11) 1,1-Dichloroethene-d2	2.27	63	101470	38.06	ug/L	0.00
21) 2-Butanone-d5	4.18	46	96385	103.97	ug/L	0.00
24) Chloroform-d	4.65	84	120650	48.71	ug/L	0.00
26) 1,2-Dichloroethane-d4	5.31	65	80758	49.81	ug/L	0.00
32) Benzene-d6	5.34	84	249326	52.27	ug/L	0.00
36) 1,2-Dichloropropane-d6	6.33	67	83869	52.40	ug/L	0.00
41) Toluene-d8	7.57	98	226588	50.63	ug/L	0.00
43) trans-1,3-Dichloropropene-	7.85	79	37748	50.73	ug/L	0.00
47) 2-Hexanone-d5	8.31	63	69059	105.74	ug/L	0.00
57) 1,1,2,2-Tetrachloroethane-	10.43	84	108249	49.39	ug/L	0.00
64) 1,2-Dichlorobenzene-d4	11.86	152	85966	51.92	ug/L	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU091018\
Data File : VU026639.D
Acq On : 10 Sep 2018 10:04
Operator : MD/SY
Sample : VIBLK40
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK40

Quant Time: Sep 11 04:32:36 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Sep 11 04:12:24 2018
Response via : Initial Calibration

