

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091018\
 Data File : VU026648.D
 Acq On : 10 Sep 2018 14:14
 Operator : MD/SY
 Sample : J4837-18
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C08S9

Quant Time: Sep 11 06:39:51 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Sep 11 05:07:53 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	189936	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	177028	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	75608	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	67792	47.89	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.78%
7) Chloroethane-d5	1.68	69	57071	50.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.08%
11) 1,1-Dichloroethene-d2	2.27	63	91189	36.00	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.00%
21) 2-Butanone-d5	4.18	46	91430	103.80	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.80%
24) Chloroform-d	4.65	84	115524	49.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.18%
26) 1,2-Dichloroethane-d4	5.31	65	76644	49.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.52%
32) Benzene-d6	5.34	84	233276	50.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.82%
36) 1,2-Dichloropropane-d6	6.33	67	79427	51.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.32%
41) Toluene-d8	7.57	98	209313	48.69	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.38%
43) trans-1,3-Dichloropropene-	7.85	79	35110	49.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	98.24%
47) 2-Hexanone-d5	8.31	63	64230	102.39	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.39%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	104732	49.75	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.50%
64) 1,2-Dichlorobenzene-d4	11.86	152	80470	53.39	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.78%


Target Compounds					Ovalue
13) Acetone	2.32	43	2365	2.36 ug/L	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU091018\
Data File : VU026648.D
Acq On : 10 Sep 2018 14:14
Operator : MD/SY
Sample : J4837-18
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C08S9

Quant Time: Sep 11 06:39:51 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Sep 11 05:07:53 2018
Response via : Initial Calibration





#13

Acetone

Concen: 2.36 ug/L

RT: 2.32 min Scan# 358

Delta R.T. 0.00 min

Lab File: VU026648.D

Acq: 10 Sep 2018 14:14

Instrument :
MSVOA_U
ClientSampleId :
C08S9

Tot Ion: 43 Resp: 2365

Ion Ratio Lower Upper

43 100

58 24.3 0.0 62.8

