

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091018\
 Data File : VU026649.D
 Acq On : 10 Sep 2018 14:37
 Operator : MD/SY
 Sample : J4837-19
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C08T0

Quant Time: Sep 11 06:41:31 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Sep 11 05:07:53 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	187729	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	173642	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	74457	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	68508	48.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.94%
7) Chloroethane-d5	1.68	69	57477	50.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.98%
11) 1,1-Dichloroethene-d2	2.27	63	91304	36.47	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.94%
21) 2-Butanone-d5	4.18	46	91393	104.98	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.98%
24) Chloroform-d	4.65	84	115113	49.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.98%
26) 1,2-Dichloroethane-d4	5.31	65	77610	50.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.96%
32) Benzene-d6	5.34	84	238585	53.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.18%
36) 1,2-Dichloropropane-d6	6.33	67	79344	52.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.22%
41) Toluene-d8	7.57	98	210329	49.88	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.76%
43) trans-1,3-Dichloropropene-	7.85	79	34821	49.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	99.32%
47) 2-Hexanone-d5	8.31	63	64769	105.26	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.26%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	102908	49.84	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.68%
64) 1,2-Dichlorobenzene-d4	11.86	152	81014	54.58	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.16%


Target Compounds					Ovalue
13) Acetone	2.32	43	2545	2.57 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU091018\
Data File : VU026649.D
Acq On : 10 Sep 2018 14:37
Operator : MD/SY
Sample : J4837-19
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C08T0

Quant Time: Sep 11 06:41:31 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Sep 11 05:07:53 2018
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.57 ug/L
 RT: 2.32 min Scan# 357
 Delta R.T. 0.00 min
 Lab File: VU026649.D
 Acq: 10 Sep 2018 14:37

Instrument :
 MSVOA_U
 ClientSampleId :
 C08T0

Tot Ion: 43 Resp: 2545
 Ion Ratio Lower Upper
 43 100
 58 29.9 0.0 62.8

