

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU091224\  
 Data File : VU060738.D  
 Acq On : 13 Sep 2024 00:52  
 Operator : MD/SY  
 Sample : VIBLK011  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 23 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 VIBLK011

Quant Time: Sep 13 05:51:49 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUSIM081624.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Sat Aug 17 05:03:57 2024  
 Response via : Initial Calibration

| Compound                      | R.T.           | QIon | Response   | Conc     | Units | Dev(Min) |
|-------------------------------|----------------|------|------------|----------|-------|----------|
| -----                         |                |      |            |          |       |          |
| Internal Standards            |                |      |            |          |       |          |
| 1) 1,4-Difluorobenzene        | 6.258          | 114  | 9409       | 0.500    | ug/L  | 0.00     |
| 5) Chlorobenzene-d5           | 9.418          | 117  | 13563      | 0.500    | ug/L  | 0.00     |
| 11) 1,4-Dichlorobenzene-d4    | 11.808         | 152  | 4014       | 0.500    | ug/L  | 0.00     |
| System Monitoring Compounds   |                |      |            |          |       |          |
| 2) Vinyl Chloride-d3          | 1.597          | 65   | 6317       | 0.413    | ug/L  | 0.00     |
| Spiked Amount 0.500           | Range 40 - 130 |      | Recovery = | 82.000%  |       |          |
| 4) 1,2-Dichloroethane-d4      | 5.709          | 65   | 3838       | 0.473    | ug/L  | 0.00     |
| Spiked Amount 0.500           | Range 70 - 130 |      | Recovery = | 94.000%  |       |          |
| 7) 1,2-Dichloropropane-d6     | 6.687          | 67   | 4160       | 0.493    | ug/L  | 0.00     |
| Spiked Amount 0.500           | Range 60 - 140 |      | Recovery = | 98.000%  |       |          |
| 8) Toluene-d8                 | 7.887          | 98   | 8705       | 0.500    | ug/L  | 0.00     |
| Spiked Amount 0.500           | Range 70 - 130 |      | Recovery = | 100.000% |       |          |
| 10) 1,1,2,2-Tetrachloroeth... | 10.745         | 84   | 3398       | 0.460    | ug/L  | 0.00     |
| Spiked Amount 0.500           | Range 65 - 120 |      | Recovery = | 92.000%  |       |          |

Target Compounds Qvalue

-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU091224\  
Data File : VU060738.D  
Acq On : 13 Sep 2024 00:52  
Operator : MD/SY  
Sample : VIBLK011  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 23 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
VIBLK011

Quant Time: Sep 13 05:51:49 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUSIM081624.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Sat Aug 17 05:03:57 2024  
Response via : Initial Calibration

