

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091318\
 Data File : VU026704.D
 Acq On : 12 Sep 2018 16:08
 Operator : MD/SY
 Sample : J4860-01 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A41S8

Quant Time: Sep 13 04:02:18 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 13 03:38:50 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	239510	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	226345	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	110099	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	64576	36.18	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	72.36%
7) Chloroethane-d5	1.68	69	58986	41.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	82.02%
11) 1,1-Dichloroethene-d2	2.27	63	99149	31.04	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.08%
21) 2-Butanone-d5	4.18	46	120646	108.62	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.62%
24) Chloroform-d	4.65	84	129905	43.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.54%
26) 1,2-Dichloroethane-d4	5.31	65	88144	45.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.76%
32) Benzene-d6	5.34	84	264113	45.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.16%
36) 1,2-Dichloropropane-d6	6.33	67	92682	47.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.30%
41) Toluene-d8	7.57	98	243066	44.22	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.44%
43) trans-1,3-Dichloropropene-	7.85	79	40793	44.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.26%
47) 2-Hexanone-d5	8.31	63	91375	113.92	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	113.92%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	130530	48.50	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.00%
64) 1,2-Dichlorobenzene-d4	11.86	152	102913	46.89	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.78%


Target Compounds					Ovalue
13) Acetone	2.32	43	438733	346.81 ug/L	99




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU091318\
Data File : VU026704.D
Acq On : 12 Sep 2018 16:08
Operator : MD/SY
Sample : J4860-01 50X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A41S8

Quant Time: Sep 13 04:02:18 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 13 03:38:50 2018
Response via : Initial Calibration





#13

Acetone

Concen: 346.81 ug/L

RT: 2.32 min Scan# 358

Delta R.T. 0.00 min

Lab File: VU026704.D

Acq: 12 Sep 2018 16:08

Instrument :
MSVOA_U
ClientSampleId :
A41S8

Tot Ion: 43 Resp: 438733

Ion Ratio Lower Upper

43 100

58 31.9 0.0 62.8

