

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091318\
 Data File : VU026710.D
 Acq On : 12 Sep 2018 18:34
 Operator : MD/SY
 Sample : J4868-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB3Q7

Quant Time: Sep 13 04:33:14 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 13 03:38:50 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	209748	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	191112	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	87077	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	59350	37.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	75.94%
7) Chloroethane-d5	1.68	69	53805	42.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.44%
11) 1,1-Dichloroethene-d2	2.27	63	87117	31.14	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.28%
21) 2-Butanone-d5	4.18	46	110478	113.58	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	113.58%
24) Chloroform-d	4.65	84	119779	46.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.18%
26) 1,2-Dichloroethane-d4	5.31	65	79480	46.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.46%
32) Benzene-d6	5.34	84	240692	48.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.32%
36) 1,2-Dichloropropane-d6	6.33	67	84423	50.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.72%
41) Toluene-d8	7.57	98	217849	46.94	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.88%
43) trans-1,3-Dichloropropene-	7.85	79	36641	47.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.96%
47) 2-Hexanone-d5	8.31	63	81350	120.12	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	120.12%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	116417	51.23	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.46%
64) 1,2-Dichlorobenzene-d4	11.86	152	86623	49.90	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.80%


Target Compounds					Ovalue
13) Acetone	2.32	43	15543	14.03	ug/L 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091318\
Data File : VU026710.D
Acq On : 12 Sep 2018 18:34
Operator : MD/SY
Sample : J4868-07
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB3Q7

Quant Time: Sep 13 04:33:14 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 13 03:38:50 2018
Response via : Initial Calibration





#13

Acetone

Concen: 14.03 ug/L

RT: 2.32 min Scan# 358

Delta R.T. 0.00 min

Lab File: VU026710.D

Acq: 12 Sep 2018 18:34

Instrument :
MSVOA_U
ClientSampleId :
DB3Q7

Tot Ion: 43 Resp: 15543

Ion Ratio Lower Upper

43 100

58 31.2 0.0 62.8

