

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091318\
 Data File : VU026715.D
 Acq On : 12 Sep 2018 20:31
 Operator : MD/SY
 Sample : J4868-05
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB3Q4

Quant Time: Sep 13 05:17:56 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 13 03:38:50 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	195650	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	180423	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	78657	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	55424	38.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	76.02%
7) Chloroethane-d5	1.68	69	49780	42.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.74%
11) 1,1-Dichloroethene-d2	2.27	63	81739	31.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.66%
21) 2-Butanone-d5	4.18	46	107226	118.18	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	118.18%
24) Chloroform-d	4.65	84	112628	46.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.92%
26) 1,2-Dichloroethane-d4	5.31	65	75604	47.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.30%
32) Benzene-d6	5.34	84	220985	47.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.64%
36) 1,2-Dichloropropane-d6	6.33	67	78465	50.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.14%
41) Toluene-d8	7.57	98	197707	45.12	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.24%
43) trans-1,3-Dichloropropene-	7.85	79	32932	45.20	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.40%
47) 2-Hexanone-d5	8.31	63	76180	119.15	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	119.15%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	111171	51.82	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	103.64%
64) 1,2-Dichlorobenzene-d4	11.86	152	78061	49.78	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.56%


Target Compounds					Ovalue
13) Acetone	2.32	43	2283	2.21 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU091318\
Data File : VU026715.D
Acq On : 12 Sep 2018 20:31
Operator : MD/SY
Sample : J4868-05
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB3Q4

Quant Time: Sep 13 05:17:56 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 13 03:38:50 2018
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.21 ug/L
 RT: 2.32 min Scan# 358
 Delta R.T. 0.00 min
 Lab File: VU026715.D
 Acq: 12 Sep 2018 20:31

Instrument :
 MSVOA_U
 ClientSampleId :
 DB3Q4

Tot Ion: 43 Resp: 2283
 Ion Ratio Lower Upper
 43 100
 58 27.9 0.0 62.8

