

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091324\
 Data File : VU060751.D
 Acq On : 13 Sep 2024 14:18
 Operator : MD/SY
 Sample : P3918-13
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COAN8

Quant Time: Sep 14 00:34:59 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR082324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Sep 14 00:33:41 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	54876	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	58477	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	26604	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	10570	4.361	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	87.200%
7) Chloroethane-d5	1.911	69	16270	4.430	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.600%
11) 1,1-Dichloroethene-d2	2.560	65	7920	5.544	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	110.800%
20) 2-Butanone-d5	4.634	46	32086	38.497	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	77.000%
24) Chloroform-d	5.052	84	35172	5.090	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.800%
26) 1,2-Dichloroethane-d4	5.695	65	20365	5.648	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	113.000%
32) Benzene-d6	5.721	84	58184	4.550	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.000%
36) 1,2-Dichloropropane-d6	6.682	67	18964	4.597	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.000%
41) Toluene-d8	7.891	98	49696	4.143	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.800%
43) trans-1,3-Dichloroprop...	8.180	79	6632	4.492	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.800%
46) 2-Hexanone-d5	8.630	63	24103	34.099	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	68.200%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	25044	6.822	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	136.400%#
66) 1,2-Dichlorobenzene-d4	12.187	152	20062	5.114	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.200%
Target Compounds						Qvalue
22) cis-1,2-Dichloroethene	4.663	96	3211	0.736	ug/L	91
34) Trichloroethene	6.534	95	29012	5.771	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091324\
Data File : VU060751.D
Acq On : 13 Sep 2024 14:18
Operator : MD/SY
Sample : P3918-13
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
COAN8

Quant Time: Sep 14 00:34:59 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR082324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Sep 14 00:33:41 2024
Response via : Initial Calibration









#22
 cis-1,2-Dichloroethene
 Concen: 0.736 ug/L
 RT: 4.663 min Scan# 1049
 Delta R.T. 0.006 min
 Lab File: VU060751.D
 Acq: 13 Sep 2024 14:18

Instrument :
 MSVOA_U
 ClientSampleId :
 COAN8

Tgt Ion: 96 Resp: 3211
 Ion Ratio Lower Upper
 96 100
 61 120.1 92.9 172.5
 98 60.3 45.0 83.6



#34
 Trichloroethene
 Concen: 5.771 ug/L
 RT: 6.534 min Scan# 1631
 Delta R.T. -0.003 min
 Lab File: VU060751.D
 Acq: 13 Sep 2024 14:18

Tgt Ion: 95 Resp: 29012
 Ion Ratio Lower Upper
 95 100
 97 66.7 45.8 85.2
 132 94.2 67.4 125.2
 130 101.3 72.2 134.2

