


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091420\
Data File : VU040114.D
Acq On : 14 Sep 2020 12:30
Operator : SY/MD
Sample : L3945-19
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFST1

Manual Integrations
APPROVED

MMDadoda
9/15/2020 8:30:13 AM

Quant Time: Sep 15 02:39:04 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Sep 15 01:48:35 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091420\
Data File : VU040114.D
Acq On : 14 Sep 2020 12:30
Operator : SY/MD
Sample : L3945-19
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFST1

Manual Integrations
APPROVED

MMDadoda
9/15/2020 8:30:13 AM

Quant Time: Sep 15 02:14:02 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Sep 15 01:48:35 2020
Response via : Initial Calibration



TIC: VU040114.D

(13) Acetone (T)

2.665min (-0.013) 4.08ug/L

response 9572

Ion	Exp%	Act%
43.05	100	100
58.05	27.70	26.66
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091420\
 Data File : VU040114.D
 Acq On : 14 Sep 2020 12:30
 Operator : SY/MD
 Sample : L3945-19
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFST1

Manual Integrations
 APPROVED

MMDadoda
 9/15/2020 8:30:13 AM

Quant Time: Sep 15 02:14:02 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA U\METHOD\SOMUTR083120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Sep 15 01:48:35 2020
 Response via : Initial Calibration



TIC: VU040114.D

(13) Acetone (T)

2.665min (-0.013) 5.51ug/L m

response 12902

7 MD
09/15/20

Ion	Exp%	Act%
43.05	100	100
58.05	27.70	19.78
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091420\
 Data File : VU040114.D
 Acq On : 14 Sep 2020 12:30
 Operator : SY/MD
 Sample : L3945-19
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFST1

Manual Integrations
 APPROVED

MMDadoda
 9/15/2020 8:30:13 AM

Quant Time: Sep 15 02:39:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Sep 15 01:48:35 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	6.26	114	115925	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	114818	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	52059	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	33326	5.27	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	105.40%
7) Chloroethane-d5	1.92	69	27432	5.20	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	104.00%
11) 1,1-Dichloroethene-d2	2.58	63	53601	3.30	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.00%
20) 2-Butanone-d5	4.66	46	112788	44.55	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	89.10%
24) Chloroform-d	5.08	84	64719	4.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.60%
26) 1,2-Dichloroethane-d4	5.72	65	39673	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.00%
32) Benzene-d6	5.74	84	121891	4.55	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.00%
36) 1,2-Dichloropropane-d6	6.70	67	38529	4.36	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.20%
41) Toluene-d8	7.91	98	101287	4.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.60%
43) trans-1,3-Dichloropropene-	8.19	79	15868	3.91	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.20%
46) 2-Hexanone-d5	8.64	63	81436	42.36	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.72%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	34018	4.45	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	38881	4.62	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.40%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
3) Chloromethane	1.53	50	7492	0.680	ug/L	98
13) Acetone	2.66	43	12902m	5.505	ug/L	90
25) Chloroform	5.11	83	7236	0.356	ug/L	90

MD
 9/15/20

(#) = qualifier out of range (m) = manual integration (+) = signals summed