

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU091518\
 Data File : VU026753.D
 Acq On : 14 Sep 2018 10:02
 Operator : MD/SY
 Sample : VU0915WBL02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK57

Quant Time: Sep 21 04:47:15 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 15 00:18:06 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	160920	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	154312	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	66382	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	51983	43.35	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.70%
7) Chloroethane-d5	1.68	69	44448	46.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.00%
11) 1,1-Dichloroethene-d2	2.27	63	74125	34.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.08%
21) 2-Butanone-d5	4.18	46	77803	104.26	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.26%
24) Chloroform-d	4.65	84	93593	46.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.88%
26) 1,2-Dichloroethane-d4	5.31	65	63818	48.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.80%
32) Benzene-d6	5.34	84	187109	46.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.70%
36) 1,2-Dichloropropane-d6	6.33	67	64839	48.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.76%
41) Toluene-d8	7.57	98	163878	43.73	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.46%
43) trans-1,3-Dichloropropene-	7.85	79	27799	44.61	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.22%
47) 2-Hexanone-d5	8.31	63	52563	96.12	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.12%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	85344	46.51	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.02%
64) 1,2-Dichlorobenzene-d4	11.86	152	64519	48.76	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.52%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU091518\
Data File : VU026753.D
Acq On : 14 Sep 2018 10:02
Operator : MD/SY
Sample : VU0915WBL02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK57

Quant Time: Sep 21 04:47:15 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091018WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 15 00:18:06 2018
Response via : Initial Calibration

