

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU091521\  
 Data File : VU044644.D  
 Acq On : 15 Sep 2021 15:56  
 Operator : SY/MD  
 Sample : M3739-08  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 11 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 C0AK1

Quant Time: Sep 16 01:44:32 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR090921WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Thu Sep 16 01:40:15 2021  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|--------|----------|
| -----                         |        |       |          |          |        |          |
| Internal Standards            |        |       |          |          |        |          |
| 1) 1,4-Difluorobenzene        | 6.256  | 114   | 136148   | 5.000    | ug/L   | 0.00     |
| 28) Chlorobenzene-d5          | 9.423  | 117   | 140860   | 5.000    | ug/L   | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.819 | 152   | 65546    | 5.000    | ug/L   | 0.00     |
| System Monitoring Compounds   |        |       |          |          |        |          |
| 4) Vinyl Chloride-d3          | 1.600  | 65    | 29166    | 3.631    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =      | 72.600%  |
| 7) Chloroethane-d5            | 1.919  | 69    | 33956    | 4.142    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =      | 82.800%  |
| 11) 1,1-Dichloroethene-d2     | 2.575  | 65    | 15565    | 3.836    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =      | 76.800%  |
| 20) 2-Butanone-d5             | 4.645  | 46    | 157189   | 46.678   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =      | 93.360%  |
| 24) Chloroform-d              | 5.073  | 84    | 76101    | 4.504    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =      | 90.000%  |
| 26) 1,2-Dichloroethane-d4     | 5.710  | 65    | 45229    | 4.489    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =      | 89.800%  |
| 32) Benzene-d6                | 5.735  | 84    | 146655   | 4.083    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =      | 81.600%  |
| 36) 1,2-Dichloropropane-d6    | 6.700  | 67    | 52113    | 4.418    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =      | 88.400%  |
| 41) Toluene-d8                | 7.906  | 98    | 119650   | 3.827    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =      | 76.600%  |
| 43) trans-1,3-Dichloroprop... | 8.185  | 79    | 15740    | 3.786    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =      | 75.800%  |
| 46) 2-Hexanone-d5             | 8.645  | 63    | 114198   | 42.734   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =      | 85.460%  |
| 56) 1,1,2,2-Tetrachloroeth... | 10.761 | 84    | 44066    | 4.213    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =      | 84.200%  |
| 66) 1,2-Dichlorobenzene-d4    | 12.198 | 152   | 46822    | 4.329    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =      | 86.600%  |
| Target Compounds              |        |       |          |          |        |          |
|                               |        |       |          |          | Qvalue |          |
| 13) Acetone                   | 2.649  | 43    | 5286     | 2.410    | ug/L   | 92       |
| -----                         |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU091521\  
Data File : VU044644.D  
Acq On : 15 Sep 2021 15:56  
Operator : SY/MD  
Sample : M3739-08  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 11 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
C0AK1

Quant Time: Sep 16 01:44:32 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR090921WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Thu Sep 16 01:40:15 2021  
Response via : Initial Calibration

