

Quantitation Report (QT Reviewed)


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091521\
 Data File : VU044646.D
 Acq On : 15 Sep 2021 16:45
 Operator : SY/MD
 Sample : M3739-07
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AE2

Quant Time: Sep 16 01:44:53 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR090921WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 16 01:40:15 2021
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda



Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091521\
 Data File : VU044646.D
 Acq On : 15 Sep 2021 16:45
 Operator : SY/MD
 Sample : M3739-07
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AE2

Quant Time: Sep 16 01:44:53 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR090921WMA.M
 Quant Title : TRACE VOA SFAM1.0
 Qlast Update : Thu Sep 16 01:40:15 2021
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda



TIC: VU044646.D\data.ms

(13) Acetone (T)

2.652min (+ 0.003) 2.35 ug/L

response 5145

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	21.20	33.62
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091521\
 Data File : VU044646.D
 Acq On : 15 Sep 2021 16:45
 Operator : SY/MD
 Sample : M3739-07
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AE2

Quant Time: Sep 16 01:44:53 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR090921WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 16 01:40:15 2021
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda



TIC: VU044646.D\data.ms

(13) Acetone (T)

2.652min (+ 0.003) 2.74 ug/L m

response 6000

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	21.20	28.83
0.00	0.00	0.00
0.00	0.00	0.00

MD
 09/21/21

Quantitation Report (QT Reviewed)

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091521\
 Data File : VU044646.D
 Acq On : 15 Sep 2021 16:45
 Operator : SY/MD
 Sample : M3739-07
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 Client Sampled :
 C0AE2

Quant Time: Sep 16 01:44:53 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR090921WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 16 01:40:15 2021
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda

9/16/2021 12:12:00 PM

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	135800	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	140218	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	65123	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	27782	3.467	ug/L	0.00
Spiked Amount 5.000	Range 40	- 130	Recovery	=	69.400%	
7) Chloroethane-d5	1.919	69	32341	3.955	ug/L	0.00
Spiked Amount 5.000	Range 65	- 130	Recovery	=	79.200%	
11) 1,1-Dichloroethene-d2	2.572	65	14219	3.513	ug/L	0.00
Spiked Amount 5.000	Range 60	- 125	Recovery	=	70.200%	
20) 2-Butanone-d5	4.642	46	147083	43.789	ug/L	0.00
Spiked Amount 50.000	Range 40	- 130	Recovery	=	87.580%	
24) Chloroform-d	5.073	84	71890	4.265	ug/L	0.00
Spiked Amount 5.000	Range 70	- 125	Recovery	=	85.400%	
26) 1,2-Dichloroethane-d4	5.710	65	44193	4.397	ug/L	0.00
Spiked Amount 5.000	Range 70	- 130	Recovery	=	88.000%	
32) Benzene-d6	5.735	84	138857	3.884	ug/L	0.00
Spiked Amount 5.000	Range 70	- 125	Recovery	=	77.600%	
36) 1,2-Dichloropropane-d6	6.697	67	49425	4.209	ug/L	0.00
Spiked Amount 5.000	Range 60	- 140	Recovery	=	84.200%	
41) Toluene-d8	7.903	98	111645	3.587	ug/L	0.00
Spiked Amount 5.000	Range 70	- 130	Recovery	=	71.800%	
43) trans-1,3-Dichloroprop...	8.186	79	15018	3.628	ug/L	0.00
Spiked Amount 5.000	Range 55	- 130	Recovery	=	72.600%	
46) 2-Hexanone-d5	8.645	63	110715	41.621	ug/L	0.00
Spiked Amount 50.000	Range 45	- 130	Recovery	=	83.240%	
56) 1,1,2,2-Tetrachloroeth...	10.761	84	42463	4.079	ug/L	0.00
Spiked Amount 5.000	Range 65	- 120	Recovery	=	81.600%	
66) 1,2-Dichlorobenzene-d4	12.198	152	43493	4.047	ug/L	0.00
Spiked Amount 5.000	Range 80	- 120	Recovery	=	81.000%	
Target Compounds						Qvalue
13) Acetone	2.652	43	6000m	2.743	ug/L	
25) Chloroform	5.096	83	4464	0.223	ug/L	93

MD
 29/21/21

(#) = qualifier out of range (m) = manual integration (+) = signals summed