

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091618\
 Data File : VU026789.D
 Acq On : 15 Sep 2018 20:10
 Operator : MD/SY
 Sample : J4920-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0KZ7

Quant Time: Sep 17 07:01:57 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR091618WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Sep 17 05:13:11 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	118403	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	97927	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	41328	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	44599	5.24	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	104.80%
7) Chloroethane-d5	1.68	69	36447	5.19	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	103.80%
11) 1,1-Dichloroethene-d2	2.27	63	60643	3.69	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	73.80%
20) 2-Butanone-d5	4.20	46	97028	48.88	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	97.76%
24) Chloroform-d	4.65	84	73140	4.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.80%
26) 1,2-Dichloroethane-d4	5.31	65	39541	5.09	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.80%
32) Benzene-d6	5.34	84	152980	5.58	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	111.60%
36) 1,2-Dichloropropane-d6	6.33	67	49273	5.59	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	111.80%
41) Toluene-d8	7.57	98	113263	4.47	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.40%
43) trans-1,3-Dichloropropene-	7.85	79	14427	4.42	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.40%
46) 2-Hexanone-d5	8.32	63	59970	46.50	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.00%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	36393	5.28	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	105.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	52541	6.85	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	137.00%#


Target Compounds					Ovalue
13) Acetone	2.32	43	2312	1.31 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091618\
Data File : VU026789.D
Acq On : 15 Sep 2018 20:10
Operator : MD/SY
Sample : J4920-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0KZ7

Quant Time: Sep 17 07:01:57 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR091618WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Sep 17 05:13:11 2018
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.31 ug/L
 RT: 2.32 min Scan# 358
 Delta R.T. -0.03 min
 Lab File: VU026789.D
 Acq: 15 Sep 2018 20:10

Instrument :
 MSVOA_U
 ClientSampleId :
 C0KZ7

Tot Ion: 43 Resp: 2312
 Ion Ratio Lower Upper
 43 100
 58 26.5 0.0 63.0

