

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091619\
 Data File : VU034586.D
 Acq On : 17 Sep 2019 00:23
 Operator : JC/SP
 Sample : K4868-18
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COMPO

Quant Time: Sep 17 05:20:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Sep 17 05:01:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	285125	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	264493	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	109700	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	65643	47.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.44%
7) Chloroethane-d5	1.67	69	54795	51.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	103.58%
11) 1,1-Dichloroethene-d2	2.26	63	105011	37.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.62%
21) 2-Butanone-d5	4.15	46	173156	111.63	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	111.63%
24) Chloroform-d	4.62	84	157120	50.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.62%
26) 1,2-Dichloroethane-d4	5.29	65	100770	52.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.76%
32) Benzene-d6	5.32	84	299004	51.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.82%
36) 1,2-Dichloropropane-d6	6.31	67	112406	51.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.84%
41) Toluene-d8	7.54	98	281930	49.93	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.86%
43) trans-1,3-Dichloropropene-	7.83	79	51759	50.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	100.24%
47) 2-Hexanone-d5	8.29	63	122190	104.04	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.04%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	169913	50.23	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.46%
64) 1,2-Dichlorobenzene-d4	11.84	152	101002	51.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.22%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091619\
Data File : VU034586.D
Acq On : 17 Sep 2019 00:23
Operator : JC/SP
Sample : K4868-18
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
COMP0

Quant Time: Sep 17 05:20:25 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091619WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Sep 17 05:01:24 2019
Response via : Initial Calibration

