

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091620\
 Data File : VU040147.D
 Acq On : 16 Sep 2020 14:53
 Operator : SY/MD
 Sample : L4041-03
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AA9

Quant Time: Sep 17 01:28:55 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Sep 17 01:09:36 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	113970	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	112414	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	47417	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	28577	4.59	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.80%
7) Chloroethane-d5	1.92	69	24246	4.68	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.60%
11) 1,1-Dichloroethene-d2	2.58	63	44642	2.80	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	56.00%#
20) 2-Butanone-d5	4.66	46	102320	41.11	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	82.22%
24) Chloroform-d	5.09	84	57021	3.92	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.40%
26) 1,2-Dichloroethane-d4	5.72	65	38495	4.29	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.80%
32) Benzene-d6	5.75	84	108983	4.15	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.00%
36) 1,2-Dichloropropane-d6	6.70	67	36904	4.26	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	85.20%
41) Toluene-d8	7.91	98	84500	3.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	71.20%
43) trans-1,3-Dichloropropene-	8.18	79	14107	3.55	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	71.00%
46) 2-Hexanone-d5	8.64	63	71484	37.98	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	75.96%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	30965	4.14	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.80%
64) 1,2-Dichlorobenzene-d4	12.19	152	32446	4.23	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	84.60%


Target Compounds					Ovalue
25) Chloroform	5.11	83	4133	0.207 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU091620\
Data File : VU040147.D
Acq On : 16 Sep 2020 14:53
Operator : SY/MD
Sample : L4041-03
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AA9

Quant Time: Sep 17 01:28:55 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Sep 17 01:09:36 2020
Response via : Initial Calibration





#25
 Chloroform
 Concen: 0.207 ug/L
 RT: 5.11 min Scan# 1171
 Delta R.T. 0.00 min
 Lab File: VU040147.D
 Acq: 16 Sep 2020 14:53

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AA9

Tot Ion: 83 Resp: 4133
 Ion Ratio Lower Upper
 83 100
 85 64.7 45.3 84.1

