

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091620\
 Data File : VU040162.D
 Acq On : 16 Sep 2020 21:31
 Operator : SY/MD
 Sample : L4046-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BG0P7

Quant Time: Sep 17 02:20:40 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Sep 17 02:07:00 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	102637	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	102588	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	43819	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	26873	4.80	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	96.00%
7) Chloroethane-d5	1.92	69	23659	5.07	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	101.40%
11) 1,1-Dichloroethene-d2	2.58	63	44817	3.12	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.40%
20) 2-Butanone-d5	4.66	46	104254	46.51	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.02%
24) Chloroform-d	5.08	84	58284	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.00%
26) 1,2-Dichloroethane-d4	5.72	65	37877	4.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.80%
32) Benzene-d6	5.75	84	109222	4.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.20%
36) 1,2-Dichloropropane-d6	6.70	67	36703	4.65	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.00%
41) Toluene-d8	7.91	98	84867	3.92	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	78.40%
43) trans-1,3-Dichloropropene-	8.19	79	13822	3.81	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.20%
46) 2-Hexanone-d5	8.64	63	73220	42.62	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.24%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	31173	4.57	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.40%
64) 1,2-Dichlorobenzene-d4	12.19	152	34377	4.85	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.00%


Target Compounds					Ovalue
13) Acetone	2.68	43	7307	3.522 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU091620\
Data File : VU040162.D
Acq On : 16 Sep 2020 21:31
Operator : SY/MD
Sample : L4046-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BG0P7

Quant Time: Sep 17 02:20:40 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Sep 17 02:07:00 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.522 ug/L
 RT: 2.68 min Scan# 416
 Delta R.T. 0.01 min
 Lab File: VU040162.D
 Acq: 16 Sep 2020 21:31

Instrument :
 MSVOA_U
 ClientSampleId :
 BG0P7

Tot Ion: 43 Resp: 7307
 Ion Ratio Lower Upper
 43 100
 58 25.3 0.0 55.4

