

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091620\
 Data File : VU040166.D
 Acq On : 16 Sep 2020 23:04
 Operator : SY/MD
 Sample : L4046-04
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BG0P2

Quant Time: Sep 17 03:14:53 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Sep 17 02:07:00 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	113282	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	108822	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	49390	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	28375	4.59	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.80%
7) Chloroethane-d5	1.92	69	24407	4.74	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	94.80%
11) 1,1-Dichloroethene-d2	2.58	63	47403	2.99	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.80%#
20) 2-Butanone-d5	4.66	46	115823	46.82	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.64%
24) Chloroform-d	5.08	84	59271	4.10	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.00%
26) 1,2-Dichloroethane-d4	5.72	65	38750	4.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.80%
32) Benzene-d6	5.75	84	116131	4.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.40%
36) 1,2-Dichloropropane-d6	6.70	67	38179	4.56	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.20%
41) Toluene-d8	7.91	98	92765	4.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.80%
43) trans-1,3-Dichloropropene-	8.19	79	15574	4.05	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.00%
46) 2-Hexanone-d5	8.64	63	81252	44.59	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	89.18%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	32617	4.50	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	37156	4.65	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	93.00%


Target Compounds					Ovalue
25) Chloroform	5.11	83	7334	0.369 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU091620\
Data File : VU040166.D
Acq On : 16 Sep 2020 23:04
Operator : SY/MD
Sample : L4046-04
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BG0P2

Quant Time: Sep 17 03:14:53 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Sep 17 02:07:00 2020
Response via : Initial Calibration





#25
 Chloroform
 Concen: 0.369 ug/L
 RT: 5.11 min Scan# 1171
 Delta R.T. -0.00 min
 Lab File: VU040166.D
 Acq: 16 Sep 2020 23:04

Instrument :
 MSVOA_U
 ClientSampleId :
 BG0P2

Tot Ion: 83 Resp: 7334
 Ion Ratio Lower Upper
 83 100
 85 57.6 45.3 84.1

